







# **SUPER IMPEX**

305,ADHYARU INDUSTRIAL ESTATE,SUNMILL COMPOUND LOWER PAREL MUMBAI PIN - 4000013 MR.SANJAY GANDHI & MR.RAKESH GANDHI PHONE - +91 22 61485400 EMAIL sanjay@superimpex.com WEB www.superimpex.com

Super Impex is a Joint venture of our associate manufacturers & Super Impex to professionally distribute the entire range of electrical fittings and accessories. The core competence area of Super Impex is its high standards in Quality. ACE is backed by strong foundations of ISO 9001: 2000 Manufactures & UL approved Products of its parent companies SUPER IMPEX which is UL listed for S.S Grounding Equipment (The safety standards for US and Canada). The best of these two companies combine to give you unmatched excellence in all its products are designed to met international standards, ensuring compliance with the demands of a majority of end users. Super Impex welcomes you to discover, for yourselves, the best in the field fo Electrical Fittings and accessories.

**Products Description** 

**Copper Bonded Grounding Rod** 

Date: 30-08-2025









| Technical Details       | ACE" copper bonded earth rod are made from low carbon Steel. Earth Rods are molecularly bonded with 99.9% pure electrolytic copper. Salient Features-Perfectly Bonded rod will last longer, drive easier and will not crack. Corrosion resistance while providing the lowest resistance to ground. Threads are rolled by roll threading process, which ensures that an even copper covering is maintained, even at the roof of the thread. Roll thread gives greater strength than cut thread. Thread rolling process raises the surface of the rod, so that thread dia (T) is greater than shank dia. (S). As seen in figure: - |
|-------------------------|--|
| ITC HS Codes            | 853690   |
| Certification/ Standard | UL   |
| Issuing Agency          |  |
| Date of Issue           | <b>A</b>   |
| Date of Expiry          |  |
| End Use Sectors         |  |
| Product Images          | Rod Dia. 'S' $\longrightarrow$<br>Thread<br>Dia. T   |
|                         | DC Tape Clip   |
|                         |  |








**Technical Details** 

DC Tape Clip Material - Gunmetal / Brass These are used with Bare Copper Tape Conductor. Used to secure Tape to structure.

ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images 853690 ISO9001-2015 DAS CERTIFICATION 19-12-2016

18-12-2019



**Square Tape Clamp** 

Technical Details ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors

**Product Images** 

Connections, Straight, Through or Tee Joints for Copper Tape. 853690


Square Tape Clamp Material - Gunmetal / Brass These are suitable for 4 Way

ISO9001-2015

DAS CERTIFICATES

19-12-2016

18-12-2019



**Oblong Test Clamp** 







| Technical Details                 | Oblong Test Clamp Material - Gunmetal / Brass These are used with Bare Copper Tape. Suitable for straight through tape joint.  |
|-----------------------------------|--|
| ITC HS Codes                      | 853590   |
| Certification/ Standard           | ISO9001-2015   |
| Issuing Agency                    | DAS CERTIFICATES   |
| Date of Issue                     | 19-12-2016   |
| Date of Expiry                    | 18-12-2019   |
| End Use Sectors                   | EARTHING & GROUNDING   |
| Product Images                    | 0  |
|                                   |  |
|                                   | Plate type Test Clamp / Test Bond  |
|                                   |  |
| Technical Details                 | Material - Gunmetal / Brass / Aluminium These are used for 4 way Copper Tape Connection.   |
| ITC HS Codes                      | 853590   |
| Certification/ Standard           | ISO9001-2015   |
| Issuing Agency                    | DAS CERTIFICATES   |
| Date of Issue                     | 19-12-2016   |
| Date of Expiry                    | 18-12-2019   |
| End Use Sectors<br>Product Images |  |
|                                   | Bi - Metalic Connector   |
| Technical Details                 | Material - Aluminium / Cpper Fasteners - Brass / Copper / Stainless Steel These are used for joining Aluminium & Copper Tape, Circular Conductors, particularly when Copper is used as earthing in Aluminium lightning protection systems. |
| ITC HS Codes                      | 853690   |
|                                   |  |

Certification/ Standard

853690 ISO9001-2015









|  | E-CATALOGUE   |
|--|---|
| Issuing Agency<br>Date of Issue<br>Date of Expiry<br>End Use Sectors<br>Product Images   | DAS CERTIFICATES<br>19-12-2016<br>18-12-2019  |
|  | TINNED COPPER CABLE LUGS HEAVY DUTY   |
| Technical Details<br>ITC HS Codes<br>Certification/ Standard<br>Issuing Agency<br>Date of Issue<br>Date of Expiry<br>End Use Sectors<br>Product Images | MATERIAL FINISH FEATURES - E - COPPER - ELECTRO TINNED - WITH<br>INSPECTION HOLE HOLE AND BARREL ENDS ARE CHAMPHERED FOR<br>EASY ENTRY<br>853690<br>CE<br><br>15-08-2013<br>13-12-2027<br>AGEMENT |
|  |   |

**BW Industrial Gland (2 PART)** 







| Technical Details                 | For use with armour or braided cable, secures armouring and provides electrical continuity between armour and gland entry component mainly used in dry and indoor condition. DESIGN FEATURES- * 2 part armour lock * Knurled armour lock produces a low resistance earth clip |
|-----------------------------------|---|
| ITC HS Codes                      | 853690  |
| Certification/ Standard           | CE  |
| Issuing Agency                    |   |
| Date of Issue                     | 15-08-2013  |
| Date of Expiry                    | 13-12-2027  |
| End Use Sectors<br>Product Images | S   |

|                         | CW Cable Gland (3 PART)   |
|-------------------------|---|
| Technical Details       | For use with Armour cable, secures armouring & provides electrical continuity   |
|                         | between armour and gland entry component. Also provides a seal on the outer<br>sheath of the cable thus ensuring no damage to cable sheathing. These are used<br>both indoor & outdoor, in all climatic conditions as it is weatherproof & waterproof.<br>DESIGN FEATURES- * 2 part armour/earth lock * Knurled armour lock produces a<br>low resistance earth clip |
| ITC HS Codes            | 853690  |
| Certification/ Standard | CE  |
| Issuing Agency          |   |
| Date of Issue           | 15-08-2013  |
| Date of Expiry          | 13-12-2027  |
|                         |   |

ELECTRICAL INDUSTRIES

End Use Sectors









| Product Im | nages |
|------------|-------|
|------------|-------|



A2 Industrial Cable Gland

Technical Details

ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images For use with unarmoured cables with rubber outer sheath. Secures outer sheath of cable. Displacement seal concept makes it suitable for Indoor & Outdoor application. DESIGN FEATURES- \* Outer displacement seal

853690 CE ---

15-08-2016

13-12-2027



E1W Brass Gland









| Technical Details                 | For use with all types of SWA extruded bedding cable where it is essential to produce IP 66 seal on to the outer sheath and also produce an IP 66 or explosion proof seal on inner sheath. It provides seals on to both inner sheath & outer sheath of the cable. DESIGN / FEATURES- * 2 part armor / earth lock * Knurled armor lock produces a low resistance earth clip * Inner & outer displacement seal * Rated at IP 66 in conjunction with entry thread seal |
|-----------------------------------|---|
| ITC HS Codes                      | 853690  |
| Certification/ Standard           | CE  |
| Issuing Agency                    |   |
| Date of Issue                     | 15-08-2013  |
| Date of Expiry                    | 13-12-2027  |
| End Use Sectors<br>Product Images |   |

| Copper Braid            |  |  |
|-------------------------|--|--|
|                         |  |  |
| Technical Details       | Highly Cu flexible pressed, Bare, Tin & Silver Coated. Flat Braid is mainly used for<br>Earthing Connection & terminals etc. |  |
| ITC HS Codes            | 853690   |  |
| Certification/ Standard | CE   |  |
| Issuing Agency          |  |  |
| Date of Issue           | 15-08-2013   |  |
| Date of Expiry          | 13-12-2027   |  |
| End Use Sectors         | EARTHING & GROUNDING   |  |











#### **Copper Round Braids**

| Technical Details       | Highly Cu flexible bare, tin & silver coated. Round braids are used for carbon brushes, relays, gaskets, telecom, automobiles , earthing etc. |
|-------------------------|---|
| ITC HS Codes            | 853690  |
| Certification/ Standard | CE  |
| Issuing Agency          |   |
| Date of Issue           | 13-08-2013  |
| Date of Expiry          | 13-12-2027  |
| End Use Sectors         |   |
| Product Images          |   |
|                         |   |

#### **COPPER Flexible Connectors**

| Technical Details       | Range 4 sq.mm and above Wire Dia 0.05mm(47swg) to 0.3mm(30swg) Material Electrolytic Copper Finish Bare Copper/Tinned/Silver |
|-------------------------|--|
| ITC HS Codes            | 853690   |
| Certification/ Standard | CE   |
| Issuing Agency          |  |

Product Images










| Date of Issue   |
|-----------------|
| Date of Expiry  |
| End Use Sectors |
| Product Images  |

15-08-2013

13-12-2027



#### PVC Coated Galvanised Flexible Conduit

**Technical Details** 

ITC HS Codes

**Issuing Agency** 

Date of Issue

Date of Expiry

End Use Sectors

**Product Images** 

Certification/ Standard

PROPERTIES- High degree of safety COLOUR - Black (Grey on request) OPERATING TEMPERATURE - -150c to +800c CONSTRUCTION - Helically wound, galvanised steel core with enhanced low acid PVC covering . FEATURES -Highly flexible & largely resistance to oil, acid and sea water PACKING - In spool 853690 CE

---

15-08-2013

13-12-2027



**Flexible Steel Conduit** 









#### **Technical Details**

Galvanised steel Strong protection for cable, compression and impact resistance. -50°c to + 350°c Highly flexible steel conduit offers good mechanical protection. Helically coiled, Square locked type to BS 731:1952 Excellent crush & pull of characteristic. Making it ideal for flexing, bending & vibrating application

| ITC HS Codes            |
|-------------------------|
| Certification/ Standard |
| Issuing Agency          |
| Date of Issue           |
| Date of Expiry          |
| End Use Sectors         |
| Product Images          |
|                         |

| 853690  |
|---|
| CE  |
|   |
| 15-08-2013                                    |
| 13-12-2027                                    |
| Called and and and and and and and and and an |

| Liquid Tight Flexible PVC Coated Galvanised Conduit |  |  |
|---|--|--|
| Technical Details                                   | Outstanding mechanical strength with excellent flexible capabilities250c to + 1050c Helically wound galvanised steel core with external PVC sheathing. Black (Grey on request) Ideal for application where continual flexing and vibrations occur. |  |
| ITC HS Codes  | 853590   |  |
| Certification/ Standard                             | CE   |  |
| Issuing Agency                                      |  |  |
| Date of Issue                                       | 15-08-2013   |  |
| Date of Expiry                                      | 13-12-2027   |  |
| End Use Sectors                                     | ELECTRICAL INDUSTRIES  |  |









Product Images



#### CIRCULAR JUNCTION BOXES

| Technical Details   To BS 4568 part 21970 (imperial size to BS 31 1940) CIRCULAR JU BOXES STANDARD SMALL ROUND     ITC HS Codes   853690     Certification/Standard   CE     Issuing Agency      Date of Issue   15-08-2013     Date of Expiry   13-12-2027     End Use Sectors   Product Images  |  |
|---|--|
| Certification/ StandardCEIssuing AgencyDate of Issue15-08-2013Date of Expiry13-12-2027End Use Sectors   | NCTION                                     |
| Issuing AgencyDate of Issue15-08-2013Date of Expiry13-12-2027End Use Sectors  |  |
| Date of Issue15-08-2013Date of Expiry13-12-2027End Use SectorsImage: Construction of the sectors  |  |
| Date of Expiry 13-12-2027   End Use Sectors Image: Control of C |  |
| End Use Sectors   |  |
|   |  |
| Product Images  |  |
|   |  |
| Cable Ducts / PVC Channles / Panel Trunkings  |  |
| Technical Details Made of rigid poly vinyl chloride (PVC) of high tensile & compressive a<br>Highly durable, will not crack, peel or chip, also resistant to oil, fungus, salt<br>etc Non brittle, non inflammable and also warp proof. Fast & efficient<br>guaranteed because of specially designed duct & cover. Slotting patterns<br>wire from popping up, while removing cover. Elongated slots at the bottor<br>flexible mounting possible. Special orders regarding colours, length or mod<br>of existing range can be manufactured as per your Spec.   | solution<br>locking<br>prevents<br>n makes |
| ITC HS Codes 853590   |  |
| Certification/ Standard CE  |  |









**Issuing Agency** ---Date of Issue 15-08-2013 Date of Expiry 13-12-2027 End Use Sectors **Product Images** Earth Rod Clamp **Technical Details** Copper alloy clamps are made from Bronze/Gunmetal/ High Strength Copper Alloy body which give strong resistance to corrosion. Following are the range of clamps we offer- Fasteners are made from high strength Copper Alloy / Steel / Stainless Steel. Earth Rod Clamp Suitable For Rod Dia. 12 MM Product Code - AAC - 1 ITC HS Codes 853690 Certification/ Standard CE **Issuing Agency** ---Date of Issue 15-08-2013 Date of Expiry 13-12-2027 End Use Sectors DING **Product Images** 

Rod To Cable Clamp - G Type



**Technical Details** 





# BRAND INDIA ENGINEERING E-CATALOGUE

| Technical Details                 | Copper alloy clamps are made from Bronze/Gunmetal/ High Strength Copper Alloy body which give strong resistance to corrosion. Following are the range of clamps we offer- Fasteners are made from high strength Copper Alloy / Steel / Stainless Steel. |
|-----------------------------------|---|
| ITC HS Codes                      | 853690  |
| Certification/ Standard           | CE  |
| Issuing Agency                    |   |
| Date of Issue                     | 15-08-2013  |
| Date of Expiry                    | 13-12-2027  |
| End Use Sectors<br>Product Images |   |
|                                   | Rod To Tape Clamp - A Type  |
|                                   |   |

Copper alloy clamps are made from Bronze/Gunmetal/ High Strength Copper Alloy body which give strong resistance to corrosion. Following are the range of clamps we offer- Fasteners are made from high strength Copper Alloy / Steel / Stainless Steel.

| ITC HS Codes            | 853690     |
|-------------------------|------------|
| Certification/ Standard | CE         |
| Issuing Agency          |            |
| Date of Issue           | 15-08-2013 |
| Date of Expiry          | 13-12-2027 |
| End Use Sectors         | 1          |
| Product Images          |            |







#### EARTH ROD Coupler

| Technical Details       | Coupler are made from copper alloy & counter bored to completely enclose threads, protecting them from damage & corrosion. |
|-------------------------|--|
| ITC HS Codes            | 853690   |
| Certification/ Standard | CE   |
| Issuing Agency          |  |
| Date of Issue           | 15-08-2013   |
| Date of Expiry          | 13-12-2027   |
| End Use Sectors         | EARTHING & GROUNDING   |
| Product Images          | 0  |

#### **U Bolt Clamps**

| Technical Details       | PLATE - Gunmetal / Brass U BOLT - Copper / Copper Alloy / Stainless Steel |
|-------------------------|---|
| ITC HS Codes            | 853690  |
| Certification/ Standard | CE  |
| Issuing Agency          |   |
| Date of Issue           | 15-08-2013  |
| Date of Expiry          | 13-12-2027  |
| End Use Sectors         | 9   |
| Product Images          |   |
|                         |   |
|                         |   |
|                         |   |
|                         | 5   |

#### U Bolt - Rod To Tape Clamp

| Technical Details       | PLATE - Gunmetal / Brass U BOLT - Copper / Copper Alloy / Stainless Steel |
|-------------------------|---|
| ITC HS Codes            | 853690  |
| Certification/ Standard | CE  |









Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images

15-08-2013 13-12-2027

----



U Bolt - Rod To Cable Clamp - 'GUV'

**Technical Details** 

ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images U Bolt - Rod To Cable Clamp - 'GUV' These are used for Connecting Rod to Cable. Available with different Rod & Cable size. 853690 CE ----13-08-2013 13-12-2027



U Bolt For Rigid Pipe & Cables - 'PUB'

| Technical Details       | U Bolt For Rigid Pipe & Cables - 'PUB' These U Bolts are used for universal parallel or 90 degree cable connection to rod or pipe. |
|-------------------------|--|
| ITC HS Codes            | 853690   |
| Certification/ Standard | CE   |
|                         |  |









Issuing Agency---Date of Issue15-08-2013Date of Expiry13-12-2027End Use SectorsINGProduct ImagesING

#### **Driving Stud**

| Technica | Details |
|----------|---------|
| recinica |         |

These are used to drive the Earth Rod to the Ground. Re-usable many times. Suitable for Power Hammering.

| ITC HS Codes            | 853690               |
|-------------------------|----------------------|
| Certification/ Standard | CE                   |
| Issuing Agency          |                      |
| Date of Issue           | 15-08-2016           |
| Date of Expiry          | 13-12-2027           |
| End Use Sectors         | CARTHING & CROUNDING |
| Product Images          |                      |
|                         |                      |

#### LATTICE PLATES

| Technical Details       | Size (A x B x C) Product Code 600 x 600 x 3 ALC - 63 900 x 900 x 3 ALC - 93 500 x 500 x 3 ALC - 53 |
|-------------------------|--|
| ITC HS Codes            | 853690   |
| Certification/ Standard | CE   |











Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images

**Multiple Point** 

**Technical Details** 

Multiple Point Material - Copper / Gunmetal / Brass Multiple Point is used with Elevation rod.









| ITC HS Codes            | 853690   |  |
|-------------------------|--|--|
| Certification/ Standard | CE   |  |
| Issuing Agency          |  |  |
| Date of Issue           | 15-08-2013   |  |
| Date of Expiry          | 13-12-2027   |  |
| End Use Sectors         |  |  |
| Product Images          |  |  |
|                         | COPPER   |  |
|                         |  |  |
|                         |  |  |
| Taper Pointed Rod       |  |  |
|                         |  |  |
| Technical Details       | Material - Electrolytic Copper / Aluminum Air Rod can be installed with or without Multiple Point. |  |
| ITC HS Codes            | 853690   |  |
| Certification/ Standard | CE   |  |
| Issuing Agency          |  |  |
| Date of Issue           | 15-08-2013   |  |
| Date of Expiry          | 13-12-2027   |  |
| End Use Sectors         | EARTHING & GROUNDING   |  |
| Product Images          |  |  |
|                         |  |  |
|                         |  |  |
|                         |  |  |

**Terminal Saddle Base** 

| Technical Details       | Material - Gunmetal / Brass / Aluminum Used for supporting lightning conductor Air<br>Terminals |
|-------------------------|---|
| ITC HS Codes            | 853690  |
| Certification/ Standard | ISO9001-2015  |
| Issuing Agency          | DAS CERTIFICATES  |









Date of Issue Date of Expiry End Use Sectors Product Images 19-12-2016 18-12-2027 Air Rod Terminal Base



#### **One Hole Cable Clip**

Technical Details ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images Material - Electrolytic Copper These are recommended to fix cable conductors. 853690 ISO9001-2015 DAS CERTIFICATES 19-12-2016 18-12-2019

| Heavy Duty Cast Cable saddle |  |  |
|------------------------------|--|--|
| Technical Details            | Material - Gunmetal / Brass These are used with 8 mm conductor or for supporting<br>Air Terminals when used in conjuction with wall mounted Air Terminal base. |  |
| ITC HS Codes                 | 853690   |  |
| Certification/ Standard      | UL   |  |
| Issuing Agency               |  |  |
|                              |  |  |

Conductor









Date of Issue Date of Expiry End Use Sectors Product Images

#### 30-01-2015

#### 12-12-2027



#### BRASS COMB CLAMP

Technical Details ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images

| Material - Brass / Copper Alloy |
|---------------------------------|
| 853690                          |
| CE                              |
|                                 |
| 15-08-2013                      |
| 13-12-2027                      |
| 100 1 200                       |



#### Earth Bars

| Technical Details       | Description Length in mm Width in mm Height in mm Product Code 6 way 400 90<br>90 ADL - 6 8 way 500 90 90 ADL - 8 10 way 650 90 90 ADL - 10 12 way 750 90 90<br>ADL - 12 |
|-------------------------|--|
| ITC HS Codes            | 853690   |
| Certification/ Standard | CE   |
| Issuing Agency          |  |









| Date of Issue           | 15-08-2013  |  |
|-------------------------|---|--|
| Date of Expiry          | 13-12-2027  |  |
| End Use Sectors         |   |  |
| Product Images          |   |  |
|                         | Earth Bars for Earth Housing  |  |
|                         |   |  |
| Technical Details       | Earth Bars made of hard drawn copper are used for fitting into slots provided in the earth housings where multiple connections are required to the earth rod. |  |
| ITC HS Codes            | 853690  |  |
| Certification/ Standard | CE  |  |
| Issuing Agency          |   |  |
| Date of Issue           | 15-08-2013  |  |
| Date of Expiry          | 13-12-2027  |  |
| End Use Sectors         | EARTHING & GROUNDING  |  |

**Product Images** 

#### **Tower Earth Clamp**

14

12

13

14

14

| Technical Details       | Material - Gunmetal / Brass These are suitable for bonding copper cable or wire to steel structures. |
|-------------------------|--|
| ITC HS Codes            | 853690   |
| Certification/ Standard | CE   |
| Issuing Agency          |  |
| Date of Issue           | 15-08-2013   |
| Date of Expiry          | 13-12-2027   |
|                         |  |









End Use Sectors Product Images



Tinned Copper Tubular Cable Lugs Without Inspection Hole N Series

**Technical Details** 

ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images MATERIAL - E - COPPER FINISH - ELECTRO TINNED FEATURES - WITH OR WITHOUT INSPECTION HOLE 853690 SINGAPORE TEST SERVICES SINGAPORE TEST SERVICES PVT LTD 22-08-2008 13-12-2027 AGEMENT



#### **Transformer Copper Terminal Ends**

| Technical Details       | MATERIAL FINISH FEATURES - E - COPPER - ELECTRO TINNED - WITH / WITHOUT INSPECTION HOLE |
|-------------------------|---|
| ITC HS Codes            | 853690  |
| Certification/ Standard | ISO9001-2015  |
| Issuing Agency          | DAS CERTIFICATES  |
| Date of Issue           | 19-12-2016  |
| Date of Expiry          | 18-12-2020  |









End Use Sectors Product Images



Long Barrel Tinned Copper Cable Terminal End

Technical DetailsMATER<br/>INSPECITC HS Codes853690Certification/ StandardISO900Issuing AgencyDAS CEDate of Issue19-12-2Date of Expiry19-12-2End Use SectorsProduct Images

MATERIAL - E - COPPER FINISH - ELECTRO TINNED FEATURES - WITH INSPECTION HOLE 853690 ISO9001-2015 DAS CERTIFICATES 19-12-2016 19 12 2010 - CABLE MANAGEMENT

2 Hole Extended Palm Lugs With Inspection Hole

Technical DetailsMATERIAL FINISH FEATURES - E - COPPER - ELECTRO TINNED - WITH OR<br/>WITHOUT INSPECTION HOLEITC HS Codes853690









| Certification/ Standard<br>Issuing Agency | ISO9001-2015<br>DAS CERTIFICATES                  |
|---|---|
| Date of Issue                             | 19-12-2016  |
| Date of Expiry                            | 18-12-2019  |
| End Use Sectors                           | EMENT   |
| Product Images                            |   |
|   | Long Barrel Connectors                            |
|   |   |
| Technical Details                         | E - COPPER - ELECTRO TINNED - CABLE STOP FACILITY |
| ITC HS Codes                              | 853690  |
| Certification/ Standard                   | ISO9001-2015                                      |
| Issuing Agency                            | DAS CERTIFICATES                                  |
| Date of Issue                             | 19-12-2016  |
| Date of Expiry                            | 18-12-2019  |
| End Use Sectors                           | ENT   |
| Product Images                            |   |

#### **Copper In - Line Connectors**

| Technical Details       | As per Din 46267 MATERIAL FINISH FEATURES - E - COPPER - ELECTRO<br>TINNED - CABLE STOP FACILITY |
|-------------------------|--|
| ITC HS Codes            | 853690   |
| Certification/ Standard | ISO-9001-2015  |









| Issuing Agency<br>Date of Issue<br>Date of Expiry<br>End Use Sectors<br>Product Images   | DAS CERTIFICATES<br>19-12-2016<br>18-12-2019<br>GEMENT<br>Cross - Connectors  |
|--|---|
|  | Cross - Connectors  |
| Technical Details<br>ITC HS Codes<br>Certification/ Standard<br>Issuing Agency<br>Date of Issue<br>Date of Expiry<br>End Use Sectors<br>Product Images | • Standard type • Material - E - Copper • Finish - Copper / Tin Plated<br>853590<br>ISO9001-2015<br>DAS CERTIFICATES<br>19-12-2016<br>18-12-2027  |
|  | Pre-Insulated Bimetal Lug   |
| Technical Details  | Material - E-Cu; AL-99.6% Features - Pre – Insulated Bimetal Lug is designed to connect the insulated cable (include ABC cable). The waterproof end cap can prevent water into the barrel. It is coloured differently to distinguish the cable sizes. It is marked with type, cable size, die size, inner cable length and number of crimena. |

|                         | crimping.    |
|-------------------------|--------------|
| ITC HS Codes            | 853690       |
| Certification/ Standard | ISO9001-2015 |









| Issuing Agency  | DAS CERTIFICATES |
|-----------------|------------------|
| Date of Issue   | 19-12-2016       |
| Date of Expiry  | 18-12-2019       |
| End Use Sectors | VENT             |
| Product Images  |                  |

Copper / Tinned Copper 'C' Type Connector

Technical Details ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images MATERIAL FINISH - E - COPPER - ELECTRO TINNED 853690 ISO9001-2015 DAS CERTIFICATES 19-12-2016 18-12-2019 NAGEMENT



Hexagonal Cable Gland With PG Thread

**Technical Details** 

MATERIAL FINISH DESIGN FEATURES PROTECTION TYPE - - - - Brass Nickel Plated According to DIN 46230 IP 54 853690

ITC HS Codes









Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images ISO9001-2015 DAS CERTIFICATES 19-12-2016 18-12-2019



#### **Round Cable Gland With PG Thread**

Technical DetailsMATERIAL FINISH PROTECTION TYPE --- Brass Nickel Plated IP 68ITC HS Codes853690Certification/StandardISO9001-2015Issuing AgencyDAS CERTIFICATESDate of Issue19-12-2016Date of Expiry18-12-2019End Use SectorsProduct Images

**Brass Female Adaptor Nickel Plated** 







**Technical Details** 

Conduit Size (mm) Product Code 16 AAFIF - 16 20 AAFIF - 20 25 AAFIF - 25 32 AAFIF - 32 40 AAFIF - 40 50 AAFIF - 50

ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images 853690

ISO9001-2015 DAS CERTIFICATES

19-12-2016

18-12-2019



#### Wiping Gland

| Technical Details       | These are made from heavy duty brass & are available as per the following dimensions. |
|-------------------------|---|
| ITC HS Codes            | 853690  |
| Certification/ Standard | ISO9001-2015  |
| Issuing Agency          | DAS CERTIFICATES  |
| Date of Issue           | 19-12-2016  |
| Date of Expiry          | 18-12-2019  |
| End Use Sectors         | ELECTRICAL INDUSTRIES   |









**Product Images** 



**One Piece Adaptor** 

#### **Technical Details**

ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images

| Material Finish Brass Brass/Nickel Plated Conduit Size (mm) Product Code 12<br>AAF - 12 16 AAF - 16 20 AAF - 20 25 AAF - 25 32 AAF - 32 40 AAF - 40 50 AAF -<br>40 |
|--|
| 853690   |
| ISO9001-2015   |
| DAS CERTIFICATES   |
| 19-12-2016   |
| 18-12-2019   |
|  |



**Brass Neutral Link** 

**Technical Details** 

'ACE' manufactures a vast range of terminal bars / neutral links for the electrical industry. Besides the available standard sizes, we also manufacture as per the customers specifications









| ITC HS Codes            | 853690            |
|-------------------------|-------------------|
| Certification/ Standard | ISO9001-2015      |
| Issuing Agency          | DAS CERTIFICATES  |
| Date of Issue           | 19-12-2016        |
| Date of Expiry          | 18-12-2019        |
| End Use Sectors         |                   |
| Product Images          | 000 0000 00       |
|                         | 000 0000 00000000 |
|                         |                   |

#### **BRASS Two Piece Adaptor / Connector**

**Technical Details** 

ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images Home » Products » Conduits & Conduit Accessories » Two Piece Adaptor / Connector 853690 ISO9001-2015 DAS CERTIFICATES 19-12-2016 18-12-2019



#### SWIVEL TYPE BRASS CONNECTOR

Technical Details ITC HS Codes Home » Products » Conduits & Conduit Accessories » Swivel Type Connector 853690









| Certification/ Standard |  |  |
|-------------------------|--|--|
| Issuing Agency          |  |  |
| Date of Issue           |  |  |
| Date of Expiry          |  |  |
| End Use Sectors         |  |  |
| Product Images          |  |  |
|                         |  |  |

ISO9001-2015 DAS CERTIFICATES 19-12-2016 18-12-2019



#### **BRASS SPLIT BOLT CONNECTOR**

#### **Technical Details**

'ACE' manufactures a vast range of line taps to meet the materials & dimensional specifications laid by different international standards. Brass line taps are made with high tensile brass as per BS 2874 - CZ 112. Threads are formed by rolling process giving the nut extra clamping force. Pressure pads are made from extruded bars (not cast), preventing the pads from cracking. Brass line taps are manufactured in passivated natural brass with electro tinned finnish. They are also supplied in high conductivity copper.

**ITC HS Codes** Certification/ Standard **Issuing Agency** Date of Issue Date of Expiry End Use Sectors **Product Images** 

853690 ISO9001-2015 19-12-2016

DAS CERTIFICATES

18-12-2019

DUSTRIES













**Round Cable Gland With PG Thread** 

Technical Details ITC HS Codes Certification/ Standard Issuing Agency Date of Issue Date of Expiry End Use Sectors Product Images MATERIAL FINISH PROTECTION TYPE - - - Brass Nickel Plated IP 68 853690 ISO9001-2015 DAS CERTIFICATES 19-12-2016 18-12-2019



**Bolted Aluminium Connector** 

Technical Details ITC HS Codes Certification/ Standard Issuing Agency IEC CERTIFICATE 853690 ISO9001-2015 DAS CERTIFICATES









Date of Issue Date of Expiry End Use Sectors

Product Images





MIDDLE ESTEUROPE, AFRICA

Yes

Yes

- Sectors of Interest Is OEM Supplier?
- Is After Sales Service Provider?
- Importance of niche products
- Potential market of niche products
- Product Supply Record
- Patented Technologies
- Awards/Accolades