

## BRAND INDIA ENGINEERING E-CATALOGUE

Date: 12-10-2025

# TEJCO VISION

**404, 4th Floor, Amore Commercial  
Premises, Junction of 2nd & 4th Road,  
Khar West  
MUMBAI  
PIN - 400052**

**Shradha Mordani**  
**PHONE - +91 22 26498191**  
**EMAIL -**  
[contactus@tejcovision.com](mailto:contactus@tejcovision.com)  
**WEB -**  
[www.tejcovision.com](http://www.tejcovision.com)

Tejco Vision is an innovator and supplier of high quality, correctly-styled specialty medical products, disposable instruments for dermatology & Hair restoration. The company is continually developing new products and bringing them to market. Before Tejco releases any new products, it is subjected to comprehensive evaluation and review by the dermatologists and other specialists who form Tejco Vision Advisory Panel and Board of Directors. Their input helps us to fine-tune Tejco products prior to making them available worldwide.

### Products Description

#### Hair Trans Super

|                         |  |
|-------------------------|--|
| Product Category        | Instruments & Appliance  |
| Product Sub-Category    | Instruments & Appliance  |
| Technical Details       | • Is a simple FUE extractor which works on high speed. • Variable Speed foot control • Silent, Smooth & Vibration free • Speed range upto 30,000 RPM |
| ITC HS Codes            | 901890   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Hair Trans Speed

Product Category

Instruments & Appliance

Product Sub-Category

Instruments & Appliance

Technical Details

The Flagship product of Tejco for Follicular Unit Extraction (FUE ) It is an advanced microprocessor controlled programmable device with digitized controls for SPEED,TORQUE, COUNTER & SCALP TYPE Key benefits • LCD display • 9 program setting options • Scalp type selection feature • Speed bar graph • Counter ranging from 1-5000 • Speed Range : 200-10,000 rpm • Torque Range : 0.5-20 mNm

ITC HS Codes

901890

Certification/ Standard

ISO 13485

Issuing Agency

---

Date of Issue

20-08-2015

Date of Expiry

19-08-2018

End Use Sectors

Doctors, Surgeons

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images




### Manual Punch

|                         |   |
|-------------------------|---|
| Product Category        | Consumables   |
| Product Sub-Category    | Suturing materials  |
| Technical Details       | • Ultra sharp • Friction free graft extraction • Minimal fatigue • Precision in scoring • High graft success rate • Least tissue damage |
| ITC HS Codes            | 901832  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Angular Motorized Punch

|                         |  |
|-------------------------|--|
| Product Category        | Consumables  |
| Product Sub-Category    | FUE punch  |
| Technical Details       | <ul style="list-style-type: none"> <li>• Very useful for acute angles</li> <li>• Ideal for beard, nape of the neck , Body hair transplant</li> </ul> |
| ITC HS Codes            | 901832   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2014   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Motorized Classic Punch

|                         |  |
|-------------------------|--|
| Product Category        | Consumables  |
| Product Sub-Category    | FUE punch  |
| Technical Details       | <ul style="list-style-type: none"> <li>• Thin wall &amp; slim design</li> <li>• Sharpest cutting edge</li> <li>• Transection less than 2 %</li> <li>• Zero wobbling</li> <li>• Accurate angulation</li> <li>• Excellent spinning</li> <li>• Optimum results</li> </ul> |
| ITC HS Codes            | 901832   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Supreme Motorized Punch

|                         |   |
|-------------------------|---|
| Product Category        | Consumables   |
| Product Sub-Category    | FUE punch   |
| Technical Details       | • Thin walled • Unique design to remove clogged grafts • Does not allow blood to go in the hand piece |
| ITC HS Codes            | 901832  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2014  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Titanium Motorized Punch

|                         |  |
|-------------------------|--|
| Product Category        | Consumables  |
| Product Sub-Category    | FUE punch  |
| Technical Details       | <ul style="list-style-type: none"> <li>• Titanium tipped • Thin wall &amp; slim design • Sharpest cutting edge • Transection less than 2 % • Zero wobbling • Accurate angulation • Excellent spinning • Optimum results</li> </ul> |
| ITC HS Codes            | 901832   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### FUE Punch holder

|                         |   |
|-------------------------|---|
| Product Category        | Instruments & Appliance   |
| Product Sub-Category    | Instruments & Appliance   |
| Technical Details       | FUE Punch Adaptor Collets are specially designed to use Manual punches along with an FUE Extractor. |
| ITC HS Codes            | 901832  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

### Product Images



### Twin Manual Punch Holder

|                         |   |
|-------------------------|---|
| Product Category        | Instruments & Appliance   |
| Product Sub-Category    | Instruments & Appliance   |
| Technical Details       | The Punch Holder is custom designed for FUE Hair transplant, to accept the razor sharp Titanium Hair Trans Manual punches available exclusively at Tejco. The manual punch holder is designed to accommodate all of our punches ranging in size from 0.8 mm to 1.2 mm |
| ITC HS Codes            | 901890  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Manual Punch Holder

|                         |  |
|-------------------------|--|
| Product Category        | Instruments & Appliance  |
| Product Sub-Category    | Instruments & Appliance  |
| Technical Details       | The Hair Trans Punch Holder is custom designed for FUE Hair transplant, to accept the razor sharp Titanium Hair Trans Manual punches available exclusively at Tejco. The manual punch holder is designed to accommodate all of our punches ranging in size from 0.8 mm to 1.2 mm |
| ITC HS Codes            | 901890   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images




### Foam Prone Pillow

|                         |  |
|-------------------------|--|
| Product Category        | Instruments & Appliance  |
| Product Sub-Category    | OT Pillow  |
| Technical Details       | A slope foamed pillow with a cut out section, custom designed for hair transplant procedures Key benefits • Allows the patient to lie in a prone position with their head straight. • Prevent suffocation of patient • Long term reusability and cost effectiveness. • Non-skid outer skin |
| ITC HS Codes            | 902139   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images




### Silicon Gel Pillow

|                         |  |
|-------------------------|--|
| Product Category        | Others-Category  |
| Product Sub-Category    | OT Pillow  |
| Technical Details       | Key benefits • Soft strong & elastic • Excellent pressure distribution, eliminates pressure points which can cause discomfort • Completely non toxic • Non allergic • Does not absorb any odour or liquid • Contains mineral oil & vitamin E which soothes skin, when in contact |
| ITC HS Codes            | 902139   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

### Product Images



### Foam Pillow

Product Category

Product Sub-Category

Technical Details

ITC HS Codes

Certification/ Standard

Issuing Agency

Others-Category

OT pillow

Key benefits • A must have to support patients neck since its a long procedure •  
Cost effective • Non skid

901890

ISO 13485

---

## BRAND INDIA ENGINEERING E-CATALOGUE

Date of Issue  
Date of Expiry  
End Use Sectors  
Product Images



### Densitometer

Product Category

Diagnostic & Imaging Instruments

Product Sub-Category

Diagnostic Imaging

Technical Details

Densitometry is extremely helpful in evaluating patients for hair transplantation & hair loss treatment consultation. Tejco's Densitometer is a hand-held, ergonomically designed, high-optics device with a 2cm Square scale & white led illuminators Key benefits • A must have to measure the donor hair density ( i.e. no.of hairs/cm<sup>2</sup>) • A must have device, as at the time of consultation, this count will enable the doctor to determine how much hair will be obtained from a certain size strip, or how large a strip will be needed for a required number of follicular unit grafts. • Extremely handy for on the spot & quick assessment of skin & hair • Portable device, useful for every surgeon • Densitometry also aids in cosmetic impact of hair restoration

ITC HS Codes

902290

Certification/ Standard

ISO 13485

Issuing Agency

---

Date of Issue

20-08-2015

## BRAND INDIA ENGINEERING E-CATALOGUE

Date of Expiry  
End Use Sectors  
Product Images



### Forcep Kit

|                         |  |
|-------------------------|--|
| Product Category        | Instruments & Appliance  |
| Product Sub-Category    | Ophthalmic Instruments   |
| Technical Details       | Is a set of 3 Forceps- Straight, Curved & Angled Key benefits • Fine Tipped • Anti magnetic • Light Weight |
| ITC HS Codes            | 901850   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Implanting Forcep

|                         |  |
|-------------------------|--|
| Product Category        | Instruments & Appliance  |
| Product Sub-Category    | Instruments & Appliance  |
| Technical Details       | Implanting forceps are used during FUE implantation for implanting follicles with ease Key benefits • Ultra fine & longer tipped • Superior Grip • Anti Magnetic • Anti acid • Fits into small recipient site with ease • Made of high medical grade stainless steel |
| ITC HS Codes            | 901850   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Serrated Forcep

|                         |   |
|-------------------------|---|
| Product Category        | Instruments & Appliance   |
| Product Sub-Category    | Ophthalmic Instruments  |
| Technical Details       | Key benefits • Superior Grip • Anti Magnetic • Anti acid • Fits into small recipient site with ease • Made of high medical grade stainless steel • Serrated grip makes procedure fast |
| ITC HS Codes            | 901850  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Implanter

|                         |  |
|-------------------------|--|
| Product Category        | Consumables  |
| Product Sub-Category    | Syringes, needles and catheters  |
| Technical Details       | Are newly innovated & engineered to bring more convenience to surgeons and better aesthetic results to patients. Quick and simple needle replacement • 0.8 mm - Eyebrow, Very fine 1 hair follicles • 0.9 mm - One or two hair follicles • 1 mm - Two hair follicles • 1.2 mm - Three hair follicles |
| ITC HS Codes            | 901832   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Implanter Needle

|                         |  |
|-------------------------|--|
| Product Category        | Consumables  |
| Product Sub-Category    | Syringes, needles and catheters  |
| Technical Details       | Are newly innovated & engineered to bring more convenience to surgeons and better aesthetic results to patients. Quick and simple needle replacement • 0.8 mm - Eyebrow, Very fine 1 hair follicles • 0.9 mm - One or two hair follicles • 1 mm - Two hair follicles • 1.2 mm - Three hair follicles |
| ITC HS Codes            | 901832   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Training Model Head

|                         |   |
|-------------------------|---|
| Product Category        | Instruments & Appliance   |
| Product Sub-Category    | Training Head   |
| Technical Details       | Is custom made to assist you for practice and training in Scalp micro pigmentation & FUE. |
| ITC HS Codes            | 902139  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Diamond Tip Slitter

|                         |   |
|-------------------------|---|
| Product Category        | Instruments & Appliance   |
| Product Sub-Category    | Ophthalmic Instruments  |
| Technical Details       | • Titanium • Light Weight with depth control • Ideal for making slits for FUE hair transplant |
| ITC HS Codes            | 901850  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images




### Blade Holder

|                         |  |
|-------------------------|--|
| Product Category        | Instruments & Appliance  |
| Product Sub-Category    | Instruments & Appliance  |
| Technical Details       | Are quality microsurgical blades specifically designed for application in hair transplant & micro grafting procedures. • Light weight • Ergonomically designed Tapered tip to ease visualization of blade • Blade can be easily secured at desired depth |
| ITC HS Codes            | 901850   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Hair Trans Chair

|                         |  |
|-------------------------|--|
| Product Category        | Patient Aids and others  |
| Product Sub-Category    | OT Chair   |
| Technical Details       | Procedure chair for Scalp Micropigmentation, FUE & Cosmetic Procedures, hence this is ergonomically designed chair for patient benefit Key benefits • Semi reclining • Reduces back strain • Gives extra comfort • Makes breathing easy • Consumes less space • More economical compared to beds • Easy for patient to read & play games on ipad etc |
| ITC HS Codes            | 902139   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### OT Bed cum Chair

|                         |  |
|-------------------------|--|
| Product Category        | Patient Aids and others  |
| Product Sub-Category    | OT Bed   |
| Technical Details       | Key benefits • Ideal for FUE, FUT & Cosmetic procedures • Hydraulic mechanics employed for achieving maximum precision & comfort • Bed Size - 1850x620x100mm • Maximum loading weight - 170 kgs • Remote controlled 3 motor bed • Adjustable Chair and Reclining position according to customers requirement |
| ITC HS Codes            | 902139   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Hair Transplant OT Bed

|                         |  |
|-------------------------|--|
| Product Category        | Patient Aids and others  |
| Product Sub-Category    | OT Chair   |
| Technical Details       | Key benefits • Light weight • Portable & Easy to carry • Can be folded and stored in a small place • Comfortable & Sturdy design • Convenient & Ideal for FUE, FUT & Cosmetic procedures |
| ITC HS Codes            | 902139   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

### Product Images



### ATOE Forcep

|                         |   |
|-------------------------|---|
| Product Category        | Instruments & Appliance   |
| Product Sub-Category    | Ophthalmic Instruments  |
| Technical Details       | Key benefits • Superior Grip • Anti Magnetic • Anti acid • Fits into small recipient site with ease • Made of high medical grade stainless steel • Serrated grip makes procedure fast |
| ITC HS Codes            | 901850  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Straight & Angular Handpiece

|                         |  |
|-------------------------|--|
| Product Category        | Instruments & Appliance  |
| Product Sub-Category    | Instruments & Appliance  |
| Technical Details       | Key benefits • Universally Fits on all Tejco hair trans extraction system models • Accommodates tejco angular punches all sizes from 0.8-1.2mm |
| ITC HS Codes            | 901890   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Scalp Micropigmentation Device

Product Category

Instruments & Appliance

Product Sub-Category

Instruments & Appliance

Technical Details

Key benefits • A specialised scalp micropigmentation device • Speed level digital control • Needle length adjustment • Using good quality safety needles • Blood and Ink will not remain in hand piece • Noise free • Pain relief design • Infection free

ITC HS Codes

902290

Certification/ Standard

ISO 13485

## BRAND INDIA ENGINEERING E-CATALOGUE

Issuing Agency

---

Date of Issue

20-08-2015

Date of Expiry

End Use Sectors

Product Images



### Vitiligo Punch

Product Category

Consumables

Product Sub-Category

Punch

Technical Details

Key benefits • Avoids Operator Stress • Saves Time • Avoids Pain in Operators Thumb • Prevents Cobble stoning Is the newest & most effective way of performing biopsies & punch grafting. Sizes Available 1mm, 1.2mm, 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm

ITC HS Codes

901832

Certification/ Standard

ISO 13485

Issuing Agency

---

Date of Issue

20-08-2015

Date of Expiry

19-08-2018

End Use Sectors

Doctors, Surgeons

## BRAND INDIA ENGINEERING E-CATALOGUE

### Product Images



### Dermal Curettes

|                         |  |
|-------------------------|--|
| Product Category        | Consumables  |
| Product Sub-Category    | Curette  |
| Technical Details       | Uses • Molluscum Contagiosum • Flat warts • Common warts • Seboreic Keratoses<br>• Collecting nail scrapings for fungal mounts • Curetting nail folds for any nail fragments device nail surgery |
| ITC HS Codes            | 902139   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

### Product Images



### Woodslamp

|                         |  |
|-------------------------|--|
| Product Category        | Diagnostic & Imaging Instruments   |
| Product Sub-Category    | Diagnostic Imaging   |
| Technical Details       | Woodslamp is a handy instrument of great diagnostic value in dermatological practice. Fluorescence produced due to absorption of short UVA aids in diagnosis of cutaneous and systematic diseases. Various infectious or conditions produce a characteristic color of fluorescence. Key benefits • Blue is healthy skin • White spots are a thick, horny layer of dead skin cells • Light purple is dehydration • Dark Purple is sensitive, thick and dehydrated • Brown Spots indicate pigmentation/sun damage • Orange is Oily • Light yellow is acne, comedones etc |
| ITC HS Codes            | 902139   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Biopsy Punches

|                         |  |
|-------------------------|--|
| Product Category        | Consumables  |
| Product Sub-Category    | Punch  |
| Technical Details       | Sizes: 1mm - 8mm Key benefits • Seamless stainless steel razor sharp cutting edges • Ribbed handles • Biopsy punch size marked on every pouch for easy identification • Sterile - ready to use everytime Uses • Psoriasis • Lichenplanus • Pemphigus • MF( Nycosis Fungidus) • Skin Cancer • Acne Scar Surgeries • Vitiligo (Punch Grafting) • FUE Hair transplant |
| ITC HS Codes            | 902139   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Ocimple

|                         |   |
|-------------------------|---|
| Product Category        | Instruments & Appliance   |
| Product Sub-Category    | Therapeutic Appliances  |
| Technical Details       | Light therapy device for acne is a fast emerging modality as an adjuvant to the previously used therapies. It leads to rapid clearance of lesions and can also be used later for maintenance of the remission once complete clearance is achieved. The light therapy device which is a combination of blue and red light (420NM-650NM) to treat acne, anti-aging and skin rejuvenation with ease. Key benefits • Blue light - Mild to Moderate Acne • Blue + Red light - Acne + Scar Healing • Right Light - Skin rejuvenation, Firmness & elasticity, Anti-aging |
| ITC HS Codes            | 902290  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

Product Images



**Handheld Dermatoscope**

|                         |   |
|-------------------------|---|
| Product Category        | Diagnostic & Imaging Instruments  |
| Product Sub-Category    | Diagnostic Imaging  |
| Technical Details       | A handheld device with strong optics and light, with a scale to helps you in your daily practice to diagnosis and measure all skin conditions with ease especially the lesion size. Uses • Dermatoscopy • Trichoscopy • Onychoscopy |
| ITC HS Codes            | 902139  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Derma Roller

Product Category

Consumables

Product Sub-Category

Roller

Technical Details

Derma rolling also known as microneedling, collagen induction therapy is a procedure to stimulate collagen growth, which significantly improves the appearance of scars, fine lines, wrinkles, stretch marks & acne scars. The treatment also allows the transdermal application of Creams, Gels & Serums to be absorbed more effectively, boosting their effectiveness. Treatment - • Wrinkles Reduction • Facial Rejuvenation • Stretch Marks Removal • Burn Scars Treatment • Cellulite Treatment • Hyper Pigmentation • Hair Loss Treatment • Scalp Micro needling for Alopecia • PRP • Mesotherapy Features - • Titanium tipped • 192 needles Can be used for- • Cellulite reduction & Hair loss treatment Sizes - 0.5 mm , 1 mm, 1.5 mm , 2 mm

ITC HS Codes

902139

Certification/ Standard

ISO 13485

Issuing Agency

---

Date of Issue

20-08-2015

Date of Expiry

19-08-2018

End Use Sectors

Doctors, Surgeons

## BRAND INDIA ENGINEERING E-CATALOGUE

### Product Images



### Microderma Brader

Product Category

Instruments & Appliance

Product Sub-Category

Instruments & Appliance

Technical Details

Micro Dermabrader is Combination of Diamond Technology with aqua jet system for infusion of cosmeceuticals. It treats a wide range of treatments for face and body skin from a light peeling up to an intensive skin abrasion. It allows controlled exfoliation of epidermal layers without the risk of damage to underlying cells. It is a Portable Tabletop machine with Sterilisable Detachable Nozzles and Unique Non-blocking System. It has Controlled Suction Power & Crystal Flow to achieve the depth of abrasion as required Key benefits • Skin & Body Polishing • Infusion of cosmeceuticals • Acne Scarring & Scar Tissue • Pigmentation Marks • Clears Wrinkles & Fine Lines • Stretch Marks • Photo Damages • Hyperpigmentation Available in 2 Variants • 3 in 1 model with Microcrystal & Diamond with aqua jet system. • 2 in 1 Diamond & aqua jet system.

ITC HS Codes

902290

Certification/ Standard

ISO 13485

Issuing Agency

---

Date of Issue

20-08-2015

Date of Expiry

19-08-2018

End Use Sectors

Doctors, Surgeons

## BRAND INDIA ENGINEERING E-CATALOGUE

### Product Images



### Meso Therapy Device

Product Category

Instruments & Appliance

Product Sub-Category

Instruments & Appliance

Technical Details

Penetration Enhance skin absorption of products to make the skin red, white, glossy Restoration Thin pores, calm and repair telangiectasia, lessen thread veins. Antiaging Make up a large number of trace elements to skin collagen, promote the rearrangement of collagen material, in a short time to lift and tighten the canthus and drooping slack skin, lessen tiny wrinkle, dry wrinkle of the canthus. It takes effect 5 times better than normal. Key benefits • Eye skin lifting • Freckle removal and skin whitening • Remove wrinkles on the forehead, eye corners, or on the neck • Moisture and skin revival • Pouch and dark circle removal • Increases the absorption of meso products • On Face penetration, restoration, anti aging

ITC HS Codes

902290

Certification/ Standard

ISO 13485

Issuing Agency

---

Date of Issue

20-08-2015

Date of Expiry

19-08-2018

End Use Sectors

Doctors, Surgeons

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Derma Pen

Product Category

Instruments & Appliance

Product Sub-Category

Instruments & Appliance

Technical Details

Skin meso pen is a handheld device which uses multiple needles that vertically pierce the skin. It improves transdermal delivery of products, enhances rejuvenation & absorption while reducing pain & discomfort. Key benefits • Compact • Fast & Safe • Adjustable depth & speed • High speed device, faster than manual derma roller • Disposable tips • Needle length adjustable from 0.25mm to 2mm • Electric & lesser pain Treatments • Scar removal • Stretch mark removal • Anti aging • Cellulite treatment • Hair Loss treatment • Hyperpigmentation

ITC HS Codes

902290

Certification/ Standard

ISO 13485

Issuing Agency

---

Date of Issue

20-08-2015

Date of Expiry

19-08-2018

End Use Sectors

Doctors, Surgeons

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Microsurgery Loops

|                         |  |
|-------------------------|--|
| Product Category        | Diagnostic & Imaging Instruments   |
| Product Sub-Category    | Imaging Parts and accessories  |
| Technical Details       | Key benefits • Laser aligned optics for crisp focus • Fiber frame for lighter weight & sturdiness • Ideal magnification available (2.5x - 3.5x) with good working distance (40 cm) • Ergonomically designed for perfect body posture • Excellent peripheral vision is the added benefit of our slim design |
| ITC HS Codes            | 902290   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

### Product Images



### Magnivisor

|                         |  |
|-------------------------|--|
| Product Category        | Diagnostic & Imaging Instruments   |
| Product Sub-Category    | Imaging Parts and accessories  |
| Technical Details       | Key benefits • Ideal device for a closer look and better vision during skin & hair procedures • 3 strong white adjustable- direction leds • Inclusive of a set of 4 lenses of 1.2x,1.8x, 2.5x,3.5x with good working distance • Ideal for wearing for multiple hours with out any strain |
| ITC HS Codes            | 902290   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Focus Visor

|                         |  |
|-------------------------|--|
| Product Category        | Diagnostic & Imaging Instruments   |
| Product Sub-Category    | Imaging Parts and accessories  |
| Technical Details       | Key benefits • Wide angled viewing area Visor • Set of 3 lenses to give u add on magnification • Fits all head sizes |
| ITC HS Codes            | 902290   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Spec visor

|                         |  |
|-------------------------|--|
| Product Category        | Diagnostic & Imaging Instruments   |
| Product Sub-Category    | Imaging Parts and accessories  |
| Technical Details       | Light weight, easy to wear spectacle model with ideal working distance. Key benefits THE KIT includes A set of 5 lenses of magnifications -1x,1.5x, 2x, 2.5x, 3.5x with excellent working distance |
| ITC HS Codes            | 902290   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Dr. Kims Headlamp

|                         |   |
|-------------------------|---|
| Product Category        | Diagnostic & Imaging Instruments  |
| Product Sub-Category    | Imaging Parts and accessories   |
| Technical Details       | <ul style="list-style-type: none"> <li>• Ergonomic C-band (First in the world) • Light weight (about 100gram) &amp; Wireless</li> <li>• Installable Customized Loupe or Surgical Telescope • Easy control of brightness (~70,000 lux) • Double on &amp; off system • Rechargeable battery • Working distance- Two Light beams from two LED light sources converge on a point 30~40cm from the eyes. This head lamps reduces the shadow of medical instruments.</li> </ul> |
| ITC HS Codes            | 902290  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### WiFi Wireless Folliscope

|                         |   |
|-------------------------|---|
| Product Category        | Diagnostic & Imaging Instruments  |
| Product Sub-Category    | Diagnostic Imaging  |
| Technical Details       | For Skin & Hair Analysis Key benefits • Variable magnification from 5x to 200x • Captures high Resolutions images & videos of skin lesions • Handy for pre and post (basically monitoring patient progress & patient education • Compatible with Laptops, Desktops, iPad, iPhone, Android devices, Windows XP & above. Uses • Dermatology • Tricology • Podiatry • Tele Medicine Setups • Veterinary Applications • Hi-Fi Low Vision aid • Life Sciences • Industry • Forensics • Science & Education |
| ITC HS Codes            | 902290  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### USB Digital Folliscope

|                         |  |
|-------------------------|--|
| Product Category        | Diagnostic & Imaging Instruments   |
| Product Sub-Category    | Diagnostic Imaging   |
| Technical Details       | Key benefits • Customized software to measure Lesion size, Hair thickness, mark area and see hair density • Variable magnification from 20x to 200x • Captures high resolutions images & videos of skin lesions • Handy for pre and post (basically monitoring patient progress & patient education • Ideal for - Dermatological & Trichological consultation & high resolution images & videos. |
| ITC HS Codes            | 902290   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Moisture & Sebum Meter

|                         |   |
|-------------------------|---|
| Product Category        | Diagnostic & Imaging Instruments  |
| Product Sub-Category    | Electro diagnostic Apparatus  |
| Technical Details       | Key benefits • Handy and Convenient • Light Weight • Ergonomic Design • Measured value is displayed in easy-to-understand percentage. • Provides you accurate and reliable data |
| ITC HS Codes            | 902139  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Aram Huvis API - 100 Skin

|                         |  |
|-------------------------|--|
| Product Category        | Diagnostic & Imaging Instruments   |
| Product Sub-Category    | Electro diagnostic Apparatus   |
| Technical Details       | High resolution Images & customized software for Skin & Hair analysis. Accurate result & Easy interface Android / iOS application available Key benefits • Measurement for Skin & Hair parameters • Sensor • Hydration / Elasticity • Skin measurement: Sebum / Pore / Wrinkle/ Sensitivity / Melanin / Acne • Hair measurement: Scalp / Density / Keratin, Redness / Pore / Thickness / Hair Thickness • Result Page • Recommend Skin Products • Multiple Data Transfer [Cellphone/Tablet/PC/Email] Specifications OS : Android / iOS / Windows / Mac Auto Focusing: VCM [Single/ Continuance] -x1 Camera [2 Mega Pixel] -¼ Inch Color CMOS [2 Mega Pixel] Lighting mode: Normal / Polarize / UV Wireless LAN IEEE 802.11 b/g/n |
| ITC HS Codes            | 902290   |
| Certification/ Standard | ISO 13485  |
| Issuing Agency          | ---  |
| Date of Issue           | 20-08-2015   |
| Date of Expiry          | 19-08-2018   |
| End Use Sectors         | Doctors, Surgeons  |

## BRAND INDIA ENGINEERING E-CATALOGUE

### Product Images



### OT Light

Product Category

Instruments & Appliance

Product Sub-Category

Instruments & Appliance

Technical Details

New Designed led light provide Excellent cold light , without temperature rising. Excellent day light quality and CRI meet the illumination needs of the doctors. Flexible and stable balance arm suspension system contents various requirement on height and angle. Light head suitable for laminar flow. Depth of Illumination is not less than 100- 120 cm & illumination adjustment 30% to 100%. Temperature rise at the surgeon head level is less than 2 degree C. Adopt the new LED chip as cold light source, greatly improve doctor's working environment and efficiency. Key benefits • Endo Mode Memory Function • High quality sterilizable handle • Special European design for ventilation of heat • Body is made of high quality fire resistant polymer Intensity 1,30,000 Lux  $\pm 10\%$  12-30 cm 4000-5000 K 93 RA >50000 hrs 84 600mm 220v / 50Hz AC Color Temperature Size of Light Field Diameter LED life Power Supply Color Reduction Index Number of LED Brightness Control Capacitive Touch Panel

ITC HS Codes

902139

Certification/ Standard

ISO 13485

Issuing Agency

---

Date of Issue

20-08-2015

Date of Expiry

19-08-2018

## BRAND INDIA ENGINEERING E-CATALOGUE

End Use Sectors

Product Images



### OT Shadowless Light

Product Category

Instruments & Appliance

Product Sub-Category

Instruments & Appliance

Technical Details

- Imported four Dichoric glass reflector with cold mirror technology reduces heat and improves light output.
- Spring balanced arm made of stainless steel.
- Sterilizable handle helps to swivel the reflectors.
- Outstanding laminar flow characteristics.
- Optimized deep cavity at wounded area.
- Heat absorbing colour correcting filters, provided with plastic diffusers for shadow reduction.
- Halogen bulbs of international brand are adopted with the average service life up to 2000 hours.
- Bulbs can be easily and conveniently replaced
- Light adjustment through dimmer, enabling increase or decrease of illumination. Luminance 75,000 Lux  $\pm 10\%$  20"inch 3500K-4000K Dichroic glass reflector 6.5" dia Dimmer system/controller  $22^{\circ}\text{C}$  180-220VAC, 50Hz 4x24v/70w Color Temperature Light head Output power Light Adjusting Power of Bulb Reflectors Temp. at Surgeons Head

ITC HS Codes

902139

Certification/ Standard

ISO 13485

Issuing Agency

---

Date of Issue

20-08-2015

Date of Expiry

19-08-2018

## BRAND INDIA ENGINEERING E-CATALOGUE

End Use Sectors

Product Images



### Laser Face Mask

Product Category

Instruments & Appliance

Product Sub-Category

Therapeutic Appliances

Technical Details

Key benefits • Red Light, increasing collagen, for wrinkle reduction • Blue Light, killing bacterium, for acne treatment • LED combination: Blue + Red for Acne treatment • Mask shape and hand-free power, free your hands during treatment • Compact controller with LED display providing easy control

ITC HS Codes

901890

Certification/ Standard

ISO 13485

Issuing Agency

---

Date of Issue

20-08-2015

Date of Expiry

19-08-2018

End Use Sectors

Doctors, Surgeons

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



### Laser Cap

|                         |   |
|-------------------------|---|
| Product Category        | Instruments & Appliance   |
| Product Sub-Category    | Therapeutic Appliances  |
| Technical Details       | Key benefits • Extremely Light weight • Effective & Affordable device for Hair Growth Treatment • 80 Laser Diodes • Portable & Fits on any Head • Clinical Laser power + mobility • Non-surgical & non-invasive • One of the most effective ways to treat Hair loss • Works for men & women |
| ITC HS Codes            | 902290  |
| Certification/ Standard | ISO 13485   |
| Issuing Agency          | ---   |
| Date of Issue           | 20-08-2015  |
| Date of Expiry          | 19-08-2018  |
| End Use Sectors         | Doctors, Surgeons   |

## BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



Sectors of Interest

Hair & Skin Doctors, Pharmaceutical Companies

Is After Sales Service Provider?

Yes

Importance of niche products

Potential market of niche products

Product Supply Record

Patented Technologies

Awards/Accolades