

**BRAND INDIA ENGINEERING
E-CATALOGUE**

Date: 01-04-2025

Weavetech Engineers Limited

**Plot No.195, Road No. 3-F, Udhna
Udyognagar, Udhna-Surat
SURAT
PIN - 394210**

**Mr. Chintan Thumar
PHONE - +91 261
2613070700
EMAIL -
info@weavetech.com
WEB -
www.weavetech.com**

At Weavetech Group, we are committed to improving the quality of life of the Textile Communities we serve. We do this by striving for value solutions which can make our communities globally competitive and contribute enormously in economic development of the country. Our practice of developing simple solutions for complex tasks at better value evokes trust among consumers, employees, shareholders & the community. We are committed to protecting this heritage of leadership with trust through the manner in which we conduct our business. Our team comprises of: Quality Inspectors Administrative staff Customer care executives Engineers & technocrats Sales and marketing executives Warehousing professionals Machine operators R & D experts Following are some of our superlative performances: One of the largest Indian manufacturers of TFOs Twisters, Crepe-Texturising Machines and Thread Doubling TFOs for filament yarns in India The largest manufacturer of Rapier Looms in India The first manufacturer of Water Jet and Air Jet Looms in India Credited with over two million spindles running world-wide One of the largest manufacturers, worldwide, of Crepe Texturizing Machines

[Products Description](#)

BRAND INDIA ENGINEERING E-CATALOGUE

Universal Twister and Cabler-UT2

Technical Details

Guage : 520mm/ 670mm / 830 mm Spindle Size : motorised spindle dia. 200 mm , 230mm , 270mm, 300 mm , 330mm Yarn Range : Twisting : 300-9000 dn. Direct-Cabling : 600-12000 dn. Twist Range : 50 TPM - 600 TPM Take-up Tube: 290/255 Max. Package Dia./Weight : 330 / 12000 gms. Max. operating Speed : 400 mtrs/ min

ITC HS Codes

8445 30 90

Certification/ Standard

ISO

Issuing Agency

Date of Issue

02-01-2017

Date of Expiry

End Use Sectors

Product Images




TECHNICAL SPECIFICATIONS

Parameter	Value
Spindle Size	200, 230, 270, 300, 330 mm
Yarn Range	300-9000 dn. Twisting; 600-12000 dn. Direct-Cabling
Twist Range	50 TPM - 600 TPM
Take-up Tube	290/255
Max. Package Dia./Weight	330 / 12000 gms.
Max. operating Speed	400 mtrs/min

WHY WEAVETECH?
Whatever your Twisting or Weaving needs be, Weavetech has a solution.

PRODUCT RANGE
Rapier Looms | Water Jet Looms | Air Jet Looms | TPO Textiles | Thread | Double TPO Carpet Cutlery | Industrial TPO | Eye Package Winders | Assembly Winders

CONTACT
Weavetech India Pvt. Ltd. | Plot No. 10, Sector 10, Gurgaon, Haryana | India



UniTwist UT2
Universal Twister for Technical / Multi-Ply / Direct-Cabled Yarns

PRODUCTIVITY
Independent Motorised Positions
High Speed Spindles & Tangle
Large Knotless Packages

TECHNOLOGY & FLEXIBILITY
Multi-Ply Assembly Package Concept
Pneumatic Presentation of Auto-Lifting

QUALITY OF YARN & PACKAGE
Precision Control with Vibration Dampening
PuffFEED System
Package Size

BRAND INDIA ENGINEERING E-CATALOGUE

Technical Details

Fabric Width : 60" , 68",72",76" , 82",92" , 102",110" Performance : Upto 230 RPM or 410 mtr/min weft insertion rate Yarns : Filament,Spun, Mono, Silk, Flat, Jari, Viscose, Bemberg, Slub, Catonic, Roto, PP, Nylon, Acrylic, Glass Fiber , Industrial Yarn.

ITC HS Codes

8446 30 90

Certification/ Standard

ISO

Issuing Agency

Date of Issue

02-01-2017

Date of Expiry

End Use Sectors

Product Images



weavetech
The best is here

ACE-3
MADE IN INDIA
RAPIER LOOMS
Crank with Multi-Linkage Soft Drive

Invest in Success

India's largest selling rapier looms
Why Weavetech's ACE Rapier Loom ?
Proven Success... Made in India.


Sliding Head Gripper
Special Positive Let-Off (optional)
HEX' Chubbness Motor with EBS (Electronic Break System)
Web Cutter CAM Drive

7 Wheel Take-up System
3-Emery Cloth Roll System
Individual Leno Bobbin System
Multi-Linkage Soft Drive
Pre-Assembled Delivery

Spun TFO Twister-Alpha Series

BRAND INDIA ENGINEERING E-CATALOGUE

Technical Details	- 205 / 250 mm Spindle Gauge - ' STRAIGHT' Tangential Belt Drive - Feed Package - 6" & 8" - Spindle Type 122mm/150mm/ 190 mm - Twist Range : 3-50 TPI / 150-2000 TPM - Yarn Speed (Max.) : 100 mtrs/min
ITC HS Codes	8445 30 90
Certification/ Standard	ISO
Issuing Agency	---
Date of Issue	02-01-2017
Date of Expiry	03-01-2020
End Use Sectors	
Product Images	



Sectors of Interest	Textiles
Countries of Exports	India
Foreign Collaboration	Textiles
Is OEM Supplier?	Yes
Is After Sales Service Provider?	Yes
Importance of niche products	
Potential market of niche products	

Product Supply Record M/s Du Pont India Ltd.(Subsidiary of Du Pont, USA) M/s. Zanotti , brazil M/s. Farrahi Carpets, Iran M/s. Numrung Rayon, Thailand M/s. Cintatex , Argentina



BRAND INDIA ENGINEERING E-CATALOGUE

Patented Technologies

Awards/Accolades