

**BRAND INDIA ENGINEERING
E-CATALOGUE**

Date: 21-04-2025

PARAMOUNT SURGIMED LTD

**PLOT NO.1 LSC OKHLA PHASE II
NEW DELHI
DELHI
PIN - 110020**

**ABHAY KUMAR
PHONE - +91 11 46436600
EMAIL -
abhay@paramountblades.com
WEB -
www.paramountblades.com**

Paramount is reputed brand in India & International. Paramount Surgimed Ltd. was registered on 09.11.1993 under the Companies Act, 1956. The Registered office of the Company is situated at Plot No. 1, L.S.C., Okhla Industrial Area, Phase – II, New Delhi – 110020. The Company has always been associated with medical field. We have approximately 250 employees all over India. Mr. Shaily Grover, Managing Director of the company has been a visionary in the life style and health care field and has more than 28 years of experience in this field. Under his inspiring leadership and approach, the Paramount group's reputation in the market is synonymous with the high quality, updated technology and dedicated approach. Paramount was one of the first ISO9000 (Presently An ISO 13485: 2012) & CE mark. Paramount Exports to over 50 countries worldwide. Main area of export in Europe, US, South America, Australia for example: Gulf & some of CIS Countries. Presently we have approximately 20 distributors and 200 dealers all over India. PRODUCTS: Surgical Blades, safety Scalpel, Disposable Scalpels, Stitch Cutters, Skin Graft Blades, Gouge blades, Biopsy Punch, Dermal Curette, we have started producing Adult Diaper, Under Pads under hygiene division.

Products Description

SURGICAL BLADES

Product Category

Consumables

Product Sub-Category

Medical Disposables

BRAND INDIA ENGINEERING E-CATALOGUE

Technical Details

The device is used for incision during surgery. It is made of Stainless steel (Grade-D & F) and Carbon steel (As per BS 2982). It is supplied sterile and non-sterile in both conditions. The sterilization process is carried out by/through Gamma irradiation. The product shelf life is 5 years of date of sterilization. The device is packed into Aluminum foil

ITC HS Codes

901890, 90189022

Certification/ Standard

CE


Issuing Agency

Date of Issue

Date of Expiry

End Use Sectors

Product Images



SURGICAL BLADES

Surgical Blades

Fitment No. 3

Fitment No. 4

Available in Stainless Steel and Carbon Steel. Each blade is protected by VCI paper in a peel-open foil sachet. It is Sterilized by Gamma Radiation of 2.5 Mrads.

Size	9	10	10A	11	11K	12	13	14	15	15B	15C	16
Carbon Steel	PCS 9	PCS 10	PCS 10A	PCS 11	PCS 11K	PCS 12	PCS 13	PCS 14	PCS 15	PCS 15B	PCS 15C	PCS 16
Stainless Steel	PSS 9	PSS 10	PSS 10A	PSS 11	PSS 11K	PSS 12	PSS 13	PSS 14	PSS 15	PSS 15B	PSS 15C	PSS 16
Fitment No	3	3	3	3	3	3	3	3	3	3	3	3

Size	17	18	19	20	21	22	22A	23	24	25	36	-
Carbon Steel	PCS 17	PCS 18	PCS 19	PCS 20	PCS 21	PCS 22	PCS 22A	PCS 23	PCS 24	PCS 25	PCS 36	-
Stainless Steel	PSS 17	PSS 18	PSS 19	PSS 20	PSS 21	PSS 22	PSS 22A	PSS 23	PSS 24	PSS 25	PSS 36	-
Fitment No	3	4	4	4	4	4	4	4	4	4	4	4

Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 20 feet container
Surgical Blades	8.6 x 8.1 x 2.8	100	10 Boxes x 100 Units	10 Outer x 10 Boxes	48.5 x 31.5 x 22	600 Cartons

SAFETY SCALPEL

Product Category

Consumables

Product Sub-Category

Medical Disposables

Technical Details

The device is used for incision during surgery. The device is invasive device and for transient use

ITC HS Codes

901890, 90189022

Certification/ Standard

CE

Issuing Agency

BRAND INDIA ENGINEERING E-CATALOGUE

Date of Issue
Date of Expiry
End Use Sectors
Product Images

SAFETY SCALPELS



Safety Scalpels

Retractable *Universal* Safety Scalpel



Size	9	10	10A	11	11K	13	14	15	15B	15C	16	17
Stainless Steel	PSF 9	PSF 10	PSF 10A	PSF 11	PSF 11K	PSF 13	PSF 14	PSF 15	PSF 15B	PSF 15C	PSF 16	PSF 17
Fitment No	3	3	3	3	3	3	3	3	3	3	3	3

Size	18	19	20	21	22	22A	23	24	25
Stainless Steel	PSS 18	PSS 19	PSS 20	PSS 21	PSS 22	PSS 22A	PSS 23	PSS 24	PSS 25
Fitment No	4	4	4	4	4	4	4	4	4

Safety Scalpels

PARAMOUNT embarks on a New Generation Scalpel to reduce the risk of injuries associated with sharp edges that could lead to high contracting diseases like HIV / AIDS, Hepatitis A, B, C etc. The Safety Scalpel is designed to prevent accidental needle sticks.

Glides easily and comfortably into locked position.

Metric ruler assists in determining length of incision.

Ribbed handle for perfect hold in gloved hands.

Sterile and ready for single use only.

10 scalpels in a dispenser box.

SAFETY SCALPELS
BRAND INDIA ENGINEERING

Safety Scalpel
E-CATALOGUE
Retractable Universal Safety Scalpel



Instructions for use:

Remove scalpel from sterile pack. Slide the latch forward until it is locked and blade is exposed and ready for use. Push back after use with force until a click is heard and felt. The Scalpel is now ready for disposal.

Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 20 feet container
Safety Scalpels	17 x 8.5 x 4.0	10	10 Boxes x 10 Units	10 Outer x 5 Boxes	62 x 51 x 35	200 Cartons

DISPOSABLE SCALPELS

Product Category

Consumables

Product Sub-Category

Medical Disposables

Technical Details

The device is used for incision during surgery. The sterilization process is carried out by/through Gamma irradiation. The product shelf life is 5 years of date of sterilization. The device is packed into hard/soft blister film which confirms the medical grade requirements.

ITC HS Codes

901890, 90189022

Certification/ Standard

CE

Issuing Agency

Date of Issue

16-02-2015

Date of Expiry

18-02-2020

End Use Sectors

Hospitals

DISPOSABLE SCALPELS
BRAND INDIA ENGINEERING

Disposables
E-CATALOGUE

Product Images



Consists of pre-assembled stainless steel surgical blades mounted on ABS plastic handle with fluted finger grips and the blades are safely protected by LDPE guard. These are individually packed in peel-open paper/poly pouches and 10 such pcs are packed in box of 10's. Color of handles can be changed to customer's requirements.

Blade Size	9	10	10A	11	11K	12	13	14	15	15B	15C	16
Stainless Steel	POSS 9	POSS 10	POSS 10A	POSS 11	POSS 11K	POSS 12	POSS 13	POSS 14	POSS 15	POSS 15B	POSS 15C	POSS 16
Filament No	3	3	3	3	3	3	3	3	3	3	3	3
Blade Size	17	18	19	20	21	22	22A	23	24	25	36	-
Stainless Steel	POSS 17	POSS 18	POSS 19	POSS 20	POSS 21	POSS 22	POSS 22A	POSS 23	POSS 24	POSS 25	POSS 36	-
Filament No	3	4	4	4	4	4	4	4	4	4	4	-
Product Name	Size of Inner Box (cm.)		Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 30 feet container					
Disposable Scalpels	20 x 6.8 x 3.5		10	10 Boxes x 10 Units	10 Outer x 10 Boxes	43 x 40 x 38	250 Cartons					

BIOPSY PUNCH

Product Category

Consumables

Product Sub-Category

Medical Disposables

Technical Details

The device is used for obtaining full-thickness skin specimen. The device is invasive device and for transient use. The sterilization process is carried out by/through Gamma irradiation. The product shelf life is 5 years of date of sterilization. The device is packed into soft/hard blister packing which confirms the medical grade requirements.

ITC HS Codes

901832, 90183220

Certification/ Standard

CE

Issuing Agency

Date of Issue

16-02-2015

Date of Expiry

18-02-2020

End Use Sectors

Hospitals

BRAND INDIA ENGINEERING

Biopsy Punch E-CATALOGUE

Product Images



Features

- Seamless stainless steel sharp cutting edge
- Ribbed handle for sure grip and control
- Size embossed on each punch for easy identification
- Sterile and ready to use
- Disposable
- Wide range of sizes

Clinical Areas

- Dermatology
- Gynecology
- Podiatry

Size	mm	1.0	1.5	2.0	2.5	3.0	3.5	4.0	5.0	6.0	7.0	8.0	-
Stainless Steel	PBP1.0	PBP1.5	PBP2.0	PBP2.5	PBP3.0	PBP3.5	PBP4.0	PBP5.0	PBP6.0	PBP7.0	PBP8.0	-	-
Fitment No	-	-	-	-	-	-	-	-	-	-	-	-	-

Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 30 feet container
Biopsy Punch	16.5 x 8 x 5.2	10	10 Boxes x 10 Units	5 Outer x 10 Boxes	43.5 x 36.5 x 39	400 Cartons

Dermal Curette

Product Category

Consumables

Product Sub-Category

Medical Disposables

Technical Details

The device is used for scraping lesions from the surface of a patient's skin. The device is invasive device and for transient use. The sterilization process is carried out by/through Gamma irradiation. The product shelf life is 5 years of date of sterilization. The device is packed into soft/hard blister packing which confirms the medical grade requirements.

ITC HS Codes

901832, 90183220

Certification/ Standard

CE

Issuing Agency

Date of Issue

16-02-2015

Date of Expiry

18-02-2020

End Use Sectors

Hospitals

BRAND INDIA ENGINEERING

E-CATALOGUE

Product Images



Features

- Seamless Stainless steel sharp cutting edge
- Easy dynamic gripping handle
- Sterile and ready to use
- Disposable
- Wide range of sizes

Clinical Areas

- Dermatology
- Diagnostics
- Oncology

Size	mm	2.0	3.0	4.0	5.0	7.0	-	-	-	-	-	-	-
Stainless Steel		PC2.0	PC3.0	PC4.0	PC5.0	PC7.0	-	-	-	-	-	-	-
Filament No		-	-	-	-	-	-	-	-	-	-	-	-

Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 20 feet container
Dermal Curettes	21.5 x 10 x 5.5	10	10 Boxes x 10 Units	10 Outer x 5 Boxes	61.5 x 51 x 31.5	250 Cartons

GOUGE BLADES

Product Category

Consumables

Product Sub-Category

Medical Disposables

Technical Details

These surgical blades are used for feet surgeries and podiatry purposes i.e. manicure and pedicure. Gouge Blades are used by various podologists for hand, feet and skin care. They are available in the following sizes: Nos. 1, 2, 3, 5, 8, 10 and 12. Each blade is protected by VCI paper in a peel - open foil sachet. Gouge blades fit into handle no. 3 and special gouge handles.

ITC HS Codes

901890, 90189022

Certification/ Standard

CE

Issuing Agency

Date of Issue

16-02-2015

Date of Expiry

18-02-2020

End Use Sectors

Hospitals

BRAND INDIA ENGINEERING

Gouge Blades & Handle
E-CATALOGUE

Product Images



Size	1	2	3	4	5	6	8	10	12	15	-	-
Carbon Steel	PGCS 1	PGCS 2	PGCS 3	PGCS 4	PGCS 5	PGCS 6	PGCS 8	PGCS 10	PGCS 12	PGCS 15	-	-
Handle	PGMH	PGMH	PGMH	PGMH	PGMH	PGMH	PGMH	PGMH	PGMH	PGMH	-	-
Filament No	3	3	3	3	3	3	3	3	3	3	-	-

These surgical blades are used for feet surgeries and podiatry purposes i.e. manucure and pedicure. Gouge Blades are used by various podologists for hand, feet and skin care. They are available in the following sizes: Nos. 1, 2, 3, 5, 8, 10 and 12. Each blade is protected by VCI paper in a peel - open foil sachet. Gouge blades fit into handle no. 3 and special gouge handles.

Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 20 feet container
Gouge Blades	10.2 x 10.2 x 3.4	100	10 Boxes x 100 Units	10 Outer x 10 Boxes	60.5 x 49 x 23	350 Cartons
Gouge Blades	13.5 x 10 x 3.3	100	10 Boxes x 100 Units	10 Outer x 10 Boxes	59.5 x 40 x 31	300 Cartons

STITCH CUTTER

Product Category	Consumables
Product Sub-Category	Medical Disposables
Technical Details	The device is used for cutting the stitches. The device is invasive device and for transient use.
ITC HS Codes	901890, 90189022
Certification/ Standard	CE
Issuing Agency	---
Date of Issue	16-02-2015
Date of Expiry	18-02-2020
End Use Sectors	Hospitals

STITCH CUTTERS /
BRAND INDIA ENGINEERING

Stitch Cutters
E-CATALOGUE

Product Images



Size	LSC	SSC	MSC
Carbon Steel	-	PSSCS	-
Stainless Steel	PLSCSS	-	PMSCSS
Handle No.	PSS3L	PCS3L	PCS3L
Handle No.	PSS 9	PCS 9	PCS 7,9

The long and short stitch cutters require no handles. The long version is made of stainless steel and the short version is of carbon steel. The mini stainless stitch cutter can be used with handle Nos. 3L, 7 & 9.

Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 20 feet container
Long Stitch Cutters	14.8 x 9 x 2.5	100	10 Boxes x 100 Units	10 Outer x 10 Boxes	47 x 40 x 35.5	300 Cartons
Stitch Cutters	11 x 8 x 3.4	100	10 Boxes x 100 Units	10 Outer x 10 Boxes	47 x 41.5 x 28	400 Cartons
Mini Stitch Cutter	8.6 x 8.1 x 2.8	100	10 Boxes x 100 Units	10 Outer x 10 Boxes	48.5 x 31.5 x 22	600 Cartons

Mini Stitch Cutter With Handle



Size	MSCH
Stainless Steel	PMSCSS

The mini stainless steel stitch cutter can be used with handle Nos. 3L, 7 & 9. Alternatively, it is also available on a pre-mounted ABS disposable plastic handle.

Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 20 feet container
Mini Stitch Cutter With Handle	16.5 x 5 x 4.1	10	25 Boxes x 10 Units	4 Outer x 25 Boxes	58 x 40 x 29	350 Cartons

Chisel Blades

Product Category

Consumables

Product Sub-Category

Medical Disposables

Technical Details

Nos. P-SM61, P-SM61S, P-SM62, P-SM62S, P-SM63, P-SM65, P-SM65A, P-SM67, P-SM68 Each blade is protected by VCI paper in a peel-open foil sachet It is Sterilized by Gamma Radiation of 2.5 M. Rads.

ITC HS Codes

901890, 90189022

Certification/ Standard

CE

Issuing Agency

Date of Issue

16-02-2015

Date of Expiry

18-02-2020

End Use Sectors

Hospitals

CHISEL BLADES (FINE)
BRAND INDIA ENGINEERING

Chisel Blades (Fine)
E-CATALOGUE

Product Images



Size	61	61S	62	62S	63	64	65	65A	67	68	-	-
Stainless Steel	PSM 61	PSM 61S	PSM 62	PSM 62S	PSM 63	PSM 64	PSM 65	PSM 65A	PSM 67	PSM 68	-	-
Handle	PSMH	PSMH	PSMH	PSMH	PSMH	PSMH	PSMH	PSMH	PSMH	PSMH	-	-

FINE (CHISEL) Surgical Blades Stainless Steel are available in the following sizes : Nos. P-SM61, P-SM61S, P-SM62, P-SM62S, P-SM63, P-SM65, P-SM65A, P-SM67, P-SM68 Each blade is protected by VCI paper in a peel-open foil sachet It is Sterilized by Gamma Radiation of 2.5 Mrads.

Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 20 feet container
Chisel Blades (Fine)	8.2 x 3.2 x 2.2	25	4 Boxes x 25 Units	4 Outer x 23 Boxes	40 x 20 x 26	1200 Cartons

DENTAL BLADES

Product Category

Consumables

Product Sub-Category

Medical Disposables

Technical Details

Dental disposable scalpels initially conceived for parodontology and Stomatology, because their form allows to do precise and fine incision, even in hardly accessible areas. These instruments have numerous applications in other disciplines like cardiology, plastic surgery, gynecology and neurology. They can be presented in two ways: with a plastic molded handle, or separately, in order to be fixed on a special handle.

ITC HS Codes

901890, 90189022

Certification/ Standard

CE

Issuing Agency

Date of Issue

16-06-2015

Date of Expiry

18-02-2020

End Use Sectors

Hospitals

BRAND INDIA ENGINEERING

DENTAL BLADES E-CATALOGUE

Product Images



Size	1	2	3	-	-	-	-	-	-	-
Stainless Steel	DBSS1	DBSS2	DBSS3	-	-	-	-	-	-	-
Filament No.	-	-	-	-	-	-	-	-	-	-

Dental disposable scalpels initially conceived for parodontology and Stomatology, because their form allows to do precise and fine incision, even in hardly accessible areas. These instruments have numerous applications in other disciplines like cardiology, plastic surgery, gynecology and neurology. They can be presented in two ways: with a plastic molded handle, or separately, in order to be fixed on a special handle.

Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 30 feet container
Dental Scalpel	23 x 7 x 5.5	10	10 Boxes x 10 Units	10 Outer x 10 Boxes	63 x 25.5 x 40	400 Cartons


SKIN GRAFT BLADES

Product Category	Consumables
Product Sub-Category	Medical Disposables
Technical Details	The device is used to removal of skin from body for transplantation on other part of body. The device is invasive device and for transient use.
ITC HS Codes	901890, 90189022
Certification/ Standard	CE
Issuing Agency	---
Date of Issue	16-02-2015
Date of Expiry	18-02-2020
End Use Sectors	Hospitals

SKIN GRAFT BLADES
BRAND INDIA ENGINEERING

Skin Graft Blades
E-CATALOGUE

Product Images



OPHTHALMIC KNIVES

Product Category

Consumables

Product Sub-Category

Medical Disposables

Technical Details

The device is used in ophthalmic surgery for making precise incisions. The device is invasive device and for transient use.

ITC HS Codes

901850, 90185090

Certification/ Standard

CE

Issuing Agency

Date of Issue

16-02-2015

Date of Expiry

18-02-2020

End Use Sectors

Hospitals

OPHTHALMIC KNIVES
BRAND INDIA ENGINEERING

Ophthalmic Knives
Round-Wire Blades
E-CATALOGUE

Product Images



Slit-Blades (Keratome) For Phaco Stab Incision

Product No.	Description	Product No.	Description
P-912301	2.3 MM Sharp Tip Straight	P-912361	2.3 MM Sharp Tip Angled 45° 19 Gauge
P-912501	2.5 MM Sharp Tip Straight	P-912561	2.5 MM Sharp Tip Angled 45° 19 Gauge
P-912601	2.45 MM Sharp Tip Straight	P-912661	2.45 MM Sharp Tip Angled 45° 19 Gauge
P-912801	2.8 MM Sharp Tip Straight	P-912861	2.8 MM Sharp Tip Angled 45° 19 Gauge
P-912901	3.0 MM Sharp Tip Straight	P-912961	3.0 MM Sharp Tip Angled 45° 19 Gauge
P-913201	3.2 MM Sharp Tip Straight	P-913261	3.2 MM Sharp Tip Angled 45° 19 Gauge
P-913501	3.5 MM Sharp Tip Straight	P-913561	3.5 MM Sharp Tip Angled 45° 19 Gauge
P-915101	5.1 MM Sharp Tip Straight	P-915161	5.1 MM Sharp Tip Angled 45° 19 Gauge

Double Bevel		Double Bevel	
P-912808	2.8 MM Sharp Tip Straight	P-912868	2.8 MM Sharp Tip Angled 45° 19 Gauge
P-912908	3.0 MM Sharp Tip Straight	P-912968	3.0 MM Sharp Tip Angled 45° 19 Gauge
P-913208	3.2 MM Sharp Tip Straight	P-913268	3.2 MM Sharp Tip Angled 45° 19 Gauge



Slit-Blades (Keratome) For I.O.L. Enlarging

Product No.	Description	Product No.	Description
P-914001	4.0 MM Sharp Tip Straight	P-914061	4.0 MM Sharp Tip Angled 45° 16 Gauge
P-914101	4.1 MM Sharp Tip Straight	P-914161	4.1 MM Sharp Tip Angled 45° 16 Gauge
P-915101	5.1 MM Sharp Tip Straight	P-915161	5.1 MM Sharp Tip Angled 45° 16 Gauge
P-915201	5.2 MM Sharp Tip Straight	P-915261	5.2 MM Sharp Tip Angled 45° 16 Gauge
P-915501	5.5 MM Sharp Tip Straight	P-915561	5.5 MM Sharp Tip Angled 45° 15 Gauge
P-916001	6.0 MM Sharp Tip Straight	P-916061	6.0 MM Sharp Tip Angled 45° 15 Gauge
P-916201	6.2 MM Sharp Tip Straight	P-916261	6.2 MM Sharp Tip Angled 45° 15 Gauge



Crescent Blades For Groove Or Pocket Or Tunnel Incision

Product No.	Description	Product No.	Description
P-950001	Crescent Sharp Tip Straight	P-950002	Crescent Bevel Up Angled 45° 20 Gauge
		P-950003	Crescent Bevel Down Angled 45° 20 Gauge
		P-950004	Crescent Angled 45° 20 Gauge

Double Bevel	
P-950005	5.1 MM Sharp Tip Straight



Lance Tip Blades For Initial Incision

Product No.	Description
P-931501	15° Degree 24 Gauge
P-933001	30° Degree 24 Gauge
P-934001	45° Degree 24 Gauge

OPHTHALMIC KNIVES

Ophthalmic Knives
Round-Wire Blades



MVR Blades For Water Tight Self Sealing Incision

Product No.	Description	Product No.	Description
P-975539	MVR 24 Gauge	AC STILETTO BLADES	
P-975560	MVR 20 Gauge	For Blumenthal or Side Port Incision	
P-975561	MVR 19 Gauge	P-985560 MVR 20 Gauge Angled 45°	
		P-985561 MVR 19 Gauge Angled 45°	



Miniature Blades Alternative To General Surgery For Precise Incision

Product No.	Description	Product No.	Description
SPOON BLADES			
For Groove or Pocket or Tunnel Incision			
		P-8820	1.5 MM Angled 45°
		P-8821	3.0 MM Angled 60°
		P-8821E	3.0 MM Extended Neck Angled 60°



Miniature Blades Alternative To General Surgery For Precise Incision

Product No.	Description	Product No.	Description
SCLERAL BLADES			
For Limbal and Scleral Incision			
P-5700	Wide Tip Blade		
P-6821	Narrow Tip Blade		

Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 20 feet container
Ophthalmic Knives	23 x 7 x 6.5	6	25 Boxes x 6 Units	2 Outer x 25 Boxes	50.5 x 38.5 x 37.5	350 Cartons



BRAND INDIA ENGINEERING E-CATALOGUE

Product Category

Consumables

Product Sub-Category

Medical Disposables

Technical Details

The device is used to prick the skin, usually the fingertip, to obtain a blood sample. The device is invasive device and for transient use.

ITC HS Codes

901890, 90189032

Certification/ Standard

CE


Issuing Agency

Date of Issue

Date of Expiry


End Use Sectors

Product Images

BLOOD LANCET


Blood Lancet

Supplied sterile and individually packed. Lancet comes in a pack of 200 pieces per box. the tip is specially designed for easy pricking, which minimizes patient trauma.



Product Name	Size of Inner Box (cm.)	Unit/Box	Outer Boxes	Export Carton	Export Carton size	Per 20 feet container
Blood Lancet	12.5 x 7 x 2.5	200		100 Boxes x 200 Units	38.5 x 26.5 x 15.5	1500 Cartons

METAL HANDLES

Product Category

Consumables

Product Sub-Category

Medical Disposables

BRAND INDIA ENGINEERING E-CATALOGUE

Technical Details

Stainless steel handles are easily gripped, adaptable, autoclave enable and supplied in individual plastic wallets. Surgical Handle Nos. 3, 3L, 7, 9 take standard surgical blades No' Size 9, 10, 10A, 11, 11K, 12, 13, 14, 15, 15B, 15C, 16, 17. Surgical Handle Nos. 4, 4L, 6 take standard surgical blades No' Size. 18, 19, 20, 21, 22, 23, 24, 25, 36. 15 Post-mortem handle take blades nos. PM 40 and PM 40B.

ITC HS Codes

901890, 90189023

Certification/ Standard

CE


Issuing Agency

Date of Issue

Date of Expiry

End Use Sectors

Product Images



Metal Handles

Blades	9	10, 10A	11, 11K	12	13	14	15	15B	15C	16	17	-
Handle No.	PSSH3	PSSH3	PSSH3	PSSH3	PSSH3	PSSH3	PSSH3	PSSH3	PSSH3	PSSH3	PSSH3	-
Handle No.	PSSH3L	PSSH3L	PSSH3L	PSSH3L	PSSH3L	PSSH3L	PSSH3L	PSSH3L	PSSH3L	PSSH3L	PSSH3L	-
Handle No.	PSSH7	PSSH7	PSSH7	PSSH7	PSSH7	PSSH7	PSSH7	PSSH7	PSSH7	PSSH7	PSSH7	-
Handle No.	PSSH9	PSSH9	PSSH9	PSSH9	PSSH9	PSSH9	PSSH9	PSSH9	PSSH9	PSSH9	PSSH9	-

Blades	18	19	20	21	22, 22A	23	24	25	36	-	-	-
Handle No.	PSSH4	PSSH4	PSSH4	PSSH4	PSSH4	PSSH4	PSSH4	PSSH4	PSSH4	-	-	-
Handle No.	PSSH4L	PSSH4L	PSSH4L	PSSH4L	PSSH4L	PSSH4L	PSSH4L	PSSH4L	PSSH4L	-	-	-
Handle No.	PSSH6	PSSH6	PSSH6	PSSH6	PSSH6	PSSH6	PSSH6	PSSH6	PSSH6	-	-	-

Stainless steel handles are easily gripped, adaptable, autoclave enable and supplied in individual plastic wallets. Surgical Handle Nos. 3, 3L, 7, 9 take standard surgical blades No' Size 9, 10, 10A, 11, 11K, 12, 13, 14, 15, 15B, 15C, 16, 17. Surgical Handle Nos. 4, 4L, 6 take standard surgical blades No' Size. 18, 19, 20, 21, 22, 23, 24, 25, 36. Post-mortem handle take blades nos. PM 40 and PM 40B.

ADULT DIAPERS

Product Category

Consumables

Product Sub-Category

Medical Disposables & HYGIENE

Technical Details

Dry-Fast Core, Super absorbent. • Moisture repellent. • Security barriers. • Waist Elastication and curved leg elastic. • Superfit Band Wetness Indicator. • Three absorbency levels and three sizes. • Compact and convenient packaging. • Also available in options of double cotton core & ADL.

ITC HS Codes

96190090

BRAND INDIA ENGINEERING E-CATALOGUE

Certification/ Standard

ISO 9001: 2008

Issuing Agency

QUALITY AUSTRIA

Date of Issue

Date of Expiry

End Use Sectors

Product Images

ADULT DIAPERS

Diapo / Drip Free Disposable Adult Diapers
For Urinary Incontinence Management



Available in following sizes:

Medium		Large		Extra Large	
800 x 670 MM		950 x 770 MM		1020 x 830 MM	
Product Name	Size of Poly Bag (cm.)	Unit/Bag	Export Carton	Export Carton size	Per 20 feet container
Adult Diapers (Medium)	25 x 19.5 x 17.5	10	12 Bags X 10 Units	56 x 45 x 46	300 Cartons
Adult Diapers (Large)	28 x 20 x 17.5	10	12 Bags X 10 Units	70 x 40 x 52	250 Cartons
Adult Diapers (Extra Large)	28 x 20 x 17.5	10	12 Bags X 10 Units	70 x 40 x 52	250 Cartons

ADULT DIAPERS
BRAND INDIA ENGINEERING

AroKleen Disposable Adult Diapers
E-CATALOGUE

For Urinary Incontinence Management

Features:

- Dry-Fast Core, Super absorbent.
- Moisture repellent.
- Security barriers.
- Waist Elastication and curved leg elastic.
- Superfit Band Wetness Indicator.
- Three absorbency levels and three sizes.
- Compact and convenient packaging.
- Also available in options of double cotton core & ADL.

Benefits:

- Faster absorption, drier surface.
- Better containment of faces.
- Reduces urine leakage.
- Improves comfort.
- Comfortable fit.
- Easier to fix and adjust tapes.
- A Guide for carers.
- Meets individual requirements with cost effective care.
- Easy to handle less storage space required.



UNDERPADS

Product Category

Consumables

Product Sub-Category

Medical Disposables & HYGIENE

Technical Details

Anti-Leakage Design: The product has extra width and length designed for better absorption. • Dry And Comfortable: It has large absorbing padding using the reticular embossed design to introduce the water diversion towards every side keep the surface comfortable. • Skin Friendly: Using the super-nonwoven as the top layer, it feels comfortable and prevents skin rashes. • International Quality: Strict controls of product material and production assuring safety and health.

ITC HS Codes

48189000

Certification/ Standard

ISO 9001:2008

Issuing Agency

QUALITY AUSTRIA

Date of Issue

25-05-2016

Date of Expiry

14-09-2018

End Use Sectors

Hospitals & RETAILS

BRAND UNDER PAD INDIA ENGINEERING

E-CATALOGUE

AroKleen Under Pad

- **Anti-Leakage Design:**
The product has extra width and length designed for better absorption.
- **Dry And Comfortable:**
It has large absorbing padding using the reticular embossed design to introduce the water diversion towards every side keep the surface comfortable.
- **Skin Friendly:**
Using the super-nonwoven as the top layer, it feels comfortable and prevents skin rashes.
- **International Quality:**
Strict controls of product material and production assuring safety and health.



Product Name	Size of Poly Bag (cm.)	Units/Bag	Export Carton	Export Carton size	Per 30 feet container
Under Pad	28.5 x 20.2 x 9	10	12 Bags X 10 Units	45 x 42 x 42	350 Cartons

Product Images

Sectors of Interest

Medical Disposables & Devices

Is After Sales Service Provider?

No

Importance of niche products

ALL OUR PRODUCTS ARE CE MARKS , ISO 13485 AND US FDA LISTED.

Potential market of niche products

EUROPE, ASIA, USA, SOUTH AMERICA, AFRICA,CIS,AUSTRALIA & GULF

Product Supply Record

WE FOLLOW ALL STANDARD PROCEDURE QMS AND HAVE RECORDS FOR SIX YEAR DOCUMENTATION.

Patented Technologies

OUR PRODUCT SAFETY SCALPEL IS US PATENTED AND EUROPE PATENT IS IN PROCESS

Awards/Accolades

WE HAVE RECEIVED MANY AWARDS FOR DOMESTIC AS WELL AS EXPORTS FROM EEPC AND OTHER PROMOTIONAL BODIES.