

**BRAND INDIA ENGINEERING  
E-CATALOGUE**

Date: 26-04-2025

# Meco Instruments Private Limited

**Plot No-EL 1, MIDC Electronic Zone, TTC  
Indl. Area, Mahape, Navi Mumbai  
NAVI  
PIN - 400 710**

**Mr.Kamal Goliya -  
CEO  
PHONE - +91 22  
27673300  
EMAIL -  
[mipltd@vsnl.com](mailto:mipltd@vsnl.com)  
WEB -  
[www.mecoinst.com](http://www.mecoinst.com)**

We are an Indian ISO 9001 : 2008 certified company offering various reliable, long - lasting and affordable Instruments since over 5 decades (established in 1962). These Products are ideal for Power, Renewable Energy and Automotive Sectors. Many products has been designed by our R & D Department ( Recognized by Department of Scientific and Industrial Research, Ministry of Science and Technology, Govt. of India, New Delhi) which holds several design registration / patents.The Make in India spirit is very much ignited at MECO. MECO has a network of over 60 Authorised Dealers / Distributors who effectively channel the products in the entire Indian sub continent with good penetration. Our products are exported to almost all the continents of the world through local agents and representatives. We seek strategic alliances with companies worldwide who can either effectively market our products in their local markets or with companies who wish to channel their products in India through our marketing network.

**Products Description**


**3 Phase Multifunction Meters**

CE

## BRAND INDIA ENGINEERING E-CATALOGUE

Issuing Agency  
Date of Issue  
Date of Expiry  
End Use Sectors  
Product Images

---




Characteristics, Studying  
critical parameters

### Power Line Transducers & Analog Panel Meters


Technical Details  
ITC HS Codes  
Certification/ Standard  
Issuing Agency  
Date of Issue  
Date of Expiry

As per Catalog.  
Power Line Transducers 85049090 & Analog Panel Meters 90303310  
CE  
---  
01-08-2017  
31-12-2020

## BRAND INDIA ENGINEERING E-CATALOGUE


**Power Line Transducers**

**CE**




**Types**

- AC Current (Average / TRMS)
- AC Voltage (Average / TRMS)
- Frequency
- Active Power (TRMS) (1P & 3P - Balanced or Unbalanced System)
- Reactive Power (TRMS) (1P & 3P - Balanced or Unbalanced System)
- Power Factor (Zero Crossing / TRMS) (1P & 3P - Balanced or Unbalanced System)
- DC Isolation for Voltage & Current
- Tap Position / O/C TC

**Features**

- Low Ripple in Output Signal
- Choice of Multiple Asymmetrical Outputs
- Wide Choice of Suppressed Ranges
- Open and Short Circuit Protection for Outputs
- Dual Output (Non Isolated)
- Self Powered, AC, DC, SMPS Auxiliary Supply
- Bi-Directional Outputs
- Fast Response Time
- Bi-Directional Inputs for Import / Export


**Applications**




- Terminal Protection trips
- Transformer Protection
- Reliable, Rugged & Stable Electronic Circuit using High Stability Components

**CE**


**Analog Panel Meters**




90° Deflection - AC & DC DIN Panel Ammeter & Volt Meter  
Size : 72 x 72, 96 x 96 Sq. mm.



240° Deflection - AC & DC DIN Panel Ammeter & Volt Meter  
Size : 72 x 72, 96 x 96, 110 x 110, 144 x 144 Sq. mm.



90° & 240° Deflection - Electronic Analog W / VAR / PF / Hz Meters  
Size : 72 x 72, 96 x 96, 144 x 144 Sq. mm.



AC & DC Educational Desk Stand Ammeter & Volt Meter  
Model : MR60EDM, MR100EDM

ISO 9001:2000 Certified Company

3

www.mecotest.com

End Use Sectors

Product Images

Petroleum, SCADA, R&D

### Digital Panel Meters & Modules

Technical Details

As per catalog.

ITC HS Codes

90303310

Certification/ Standard

CE

Issuing Agency

---

Date of Issue

01-01-2016


Date of Expiry

31-12-2020

End Use Sectors

Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.

## Product Images



## 1 inch25.4 mm Digit Height Digital Panel Meters

### Technical Details

As per catalog.

### ITC HS Codes

90303310

### Certification/ Standard

CE

### Issuing Agency

---

### Date of Issue


01-01-2016

### Date of Expiry

31-12-2020

### End Use Sectors

Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.




Product Images

### Digital Clampmeters AC TRMS

Technical Details	As per catalog.
ITC HS Codes	90303390
Certification/ Standard	CE
Issuing Agency	---
Date of Issue	01-01-2016
Date of Expiry	31-12-2020
End Use Sectors	Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.

**MECO** Digital Clampmeters AC / TRMS  
**E-CATALOGUE**



**Features**

Model	27F-AUTO	2502F-AUTO	72F-AUTO	2520FHz-AUTO	1000-TRMS
Digit	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2
Count	2000	2000	4000	4000	6000
Auto Ranging	✓	✓	✓	✓	✓
TRMS	NA	NA	NA	NA	✓
A AC	400A	1000A	400A	1000A	1000A
V AC	600V	750V	600V	750V	750V
V DC	600V	1000V	600V	1000V	1000V
Resistance	✓	✓	✓	✓	✓
Continuity	✓	✓	✓	✓	✓
Diode	✓	✓	✓	✓	✓
Duty Cycle	NA	NA	NA	✓	✓
Capacitance	NA	NA	✓	✓	✓
Frequency	NA	NA	✓	✓	✓
Temperature	✓	✓	✓	✓	✓
Auto Power Off	✓	✓	✓	✓	✓
Data Hold	✓	✓	✓	✓	✓
Max.	✓	✓	NA	NA	NA
Non Contact Voltage	✓	✓	✓	✓	NA
Jaw Opening	25mm	52mm	25mm	52mm	30mm
Backlight	NA	NA	NA	NA	✓

ISO 9001:2008 Certified Company      6      www.mecoinst.com

### Digital Clampmeters DC TRMS

Technical Details	As per catalog.
ITC HS Codes	90303390
Certification/ Standard	CE
Issuing Agency	---
Date of Issue	01-01-2016
Date of Expiry	31-12-2020
End Use Sectors	Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.

**MECO** Digital Clampmeters DC / AC TRMS

**E-CATALOGUE**

CE



Model	36-AUTO	3690A AUTO	1000-TRMS	3600 SUPER
Digit	3 1/2	3 1/2	3 1/2	3 1/2
Count	4000	4000	6000	6000
Auto Ranging	✓	✓	✓	✓
TRMS	NA	NA	✓	✓
A AC	600A	600A	1200A	1000A
A DC	600A	600A	1200A	1200A
V AC	600V	600V	750V	600V
V DC	600V	600V	1000V	600V
Resistance	✓	✓	✓	✓
Continuity	✓	✓	✓	✓
Diode	✓	✓	✓	✓
Duty Cycle	✓	✓	✓	✓
Capacitance	✓	NA	✓	✓
Frequency	✓	✓	✓	✓
Temperature	✓	NA	✓	NA
Auto Power Off	✓	✓	✓	✓
Data Hold	✓	✓	✓	✓
Non Contact Voltage	✓	NA	NA	NA
Jaw Opening	25mm	30mm	30mm	55mm
Backlight	NA	NA	✓	NA
Bargraph	NA	NA	NA	✓


ISO 9001:2008 Certified Company 7 www.mecoinst.com

## Product Images

## Digital Mutimeters

Technical Details	As per catalog.
ITC HS Codes	90303100
Certification/ Standard	CE
Issuing Agency	---
Date of Issue	01-01-2016
Date of Expiry	31-12-2020
End Use Sectors	Automation,Automobile,Petrochemical,Chemical,Oil/Gas/Petroleum,SCADA,R&D Organizations,Power Utilities and so on.





1) Phase Sequence Indicators 2) 5kv - 200Gohm Digital Insulation Tester 3) Insulation Tester - Digital 4) Insulation Tester - Analog 5) LCR Meter

Technical Details	As per catalog.
ITC HS Codes	90303390
Certification/ Standard	CE
Issuing Agency	---
Date of Issue	01-01-2016
Date of Expiry	31-12-2020
End Use Sectors	Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.

**MECO** Testing & Measuring Instruments

**CATALOGUE**

**Phase Sequence Indicator**

- 3 Phase Sequence Indication via LED & Buzzer
- Reverse Phase Indication via LED & Buzzer
- Open Phase Indication via LED & Buzzer
- No Battery Required
- Rugged & Handy
- Easy & Safe to Use
- Coloured Test Probes with Heavy Duty Insulated Crocodile Clips for R, Y, B Phase Connections
- Phase Presence Indication from as low as 60V AC (Ph-N)

PSI 2016

**5kV - 200GΩ Digital Insulation Tester**

DI7954

Insulation Resistance Measurement Test Leads, Adapter & Battery, Phase Sequence Measurement Wire

Specification	Test voltage	Range
Insulation Resistance	1000V / 2500V / 5000V	0.1MΩ to 200GΩ
AC Voltage Measurement	0 - 600V AC (50 - 60Hz)	-
Phase Sequence Test	100V - 450V Phase-Phase (50 - 60Hz)	-

**Insulation Tester - Digital**

DI799 Series

Model	Range	Test Voltage DC
DI799A	0 - 20 MΩ	100V
DI799B	0 - 200 MΩ	250V
DI799C	0 - 200 MΩ	500V
DI799D	0 - 200 MΩ	1000V
DI799E	0 - 2000 MΩ	1000V

**Insulation Tester - Analog**

MC-900 Series/MC-900BA Series

Model	Range	Test Voltage DC
MC-901/MC-901BA	0 - 20 MΩ	100V
MC-902/MC-902BA	0 - 100 MΩ	100V
MC-903/MC-903BA	0 - 500 MΩ	100V
MC-904/MC-904BA	0 - 1000 MΩ	100V
MC-905/MC-905BA	0 - 1000 MΩ	100V
MC-906/MC-906BA	0 - 1000 MΩ	1000V
MC-907/MC-907BA	0 - 1000 MΩ	1000V
MC-908/MC-908BA	0 - 2000 MΩ	1000V

**LCR Meter**

LCR999A

Measurement Parameter	Primary Parameters: L, C, R, E	Secondary Parameters: D, Q, T, F, TDR
Equivalent Mode	Series, Parallel	
Auto LCR Function	Manual / Auto	
Range Mode	Auto	
Test Terminals	2-Terminal, 4-Terminal, 5-Terminal	
Measurement Speed	10 measures / test, 5 measures / auto, 2 measures / auto	
Correction	Short, Open	
Tolerance Mode	1%, 5%, 10%, 20%	
Input Protection Fuse	0.1A / 6.3V	
Interface	Mini USB (Virtual Serial Port)	

ISO 9001:2008 Certified Company

www.mecoinst.com

## 1) Digital Earth Tester 2) Micro - Ohmmeter (7272) / Milli - Ohmmeter (7002)

Technical Details	As per catalog.
ITC HS Codes	90303390
Certification/ Standard	CE
Issuing Agency	---
Date of Issue	01-01-2016
Date of Expiry	31-12-2020
End Use Sectors	Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.

## Product Images

**MECO** Testing & Measuring Instruments  
**E-CATALOGUE**

**Digital Earth Tester**

Specification	Range	Resolution
Earth Resistance	0 - 200Ω	0.1Ω
Earth Voltage	0 - 20VAC	0.01VAC

**Micro - Ohmmeter (7272) / Milli - Ohmmeter (7002)**

- Basic Accuracy 0.25%
- Max. Test Current: 18A (60mΩ for 7272, 1A/120mΩ for 7002)
- Manual or Auto Range
- Four Terminal Kelvin Measurement
- 6 Ranges with 1/40 Bit Resolution
- Measurement of Resistor and Inductive Materials
- Setting for H, LO & PASS Readings
- Memory of 1000 Measurements Data
- Programmable H-LEO Alarms with memory of 20 Data
- Large LCD with Bar-Sight & HOLD Function
- Low Power Consumption
- Battery Operated (Rechargeable Battery)
- Low Battery Indication
- LED Indication for Insulation Resistance Measurement
- Cable Length Measurement in feet & meters
- Live Interface Software for PC Communication via RS232C in USB Bridge Cable
- Built-in Battery Charging Circuit & Calendar Clock

**Clamp - On Earth / Ground Resistance & Leakage Current Tester (suitable for 65x32mm Conductor)**

- Non Contact Ground Resistance Measurement
- No Auxiliary Electrodes Needed
- Data Storing Memory
- Data Hold, Noise Signal
- Ground Resistance Measurement 0.01Ω ~ 1000Ω
- Suitable for Earthing Strip of 65mm x 32mm
- Leakage Current (0.5mA ~ 30.00A) (Model 4680BLC)
- Auto Ranging
- Continuity Loop Test
- Auto Power Off

**Transformer Turns Ratio Meter**

- Measurements of 1Φ and 3Φ Transformer/VEXT Turns Ratio
- VTP Ratio 0.6 ~ 10000, CT Ratio 0.1 ~ 2000
- Graphical and Linear Illustration of Measurements and connections with Large Back-lit LCD Matrix 240x128 LCD
- Displays Turns Ratio, Deviation, Secondary Output, Excitation Voltage and Current, Phase Angle and Nameplate Transformer
- VECT Values in one page for easy quality interpretation
- Check for Low Test Points, Short Circuit, Open Circuit and Reverse Polarity before each measurement
- Store 4096 Files of Transformer Nameplate Values (VTP/CT/1Φ/3Φ, Test Frequency, Primary and Secondary Voltages or Ratio, RCT) and Measuring Data
- Ten Test Frequencies (50 ~ 400Hz)
- 9 Types of 1Φ Winding Connections pre-installed
- Wireless Bluetooth Communication with PC
- Select Filter to Remove Field noise (Slow, Normal, Fast)
- Record with Date and Time Stamp
- Powerful lithium Battery (3400mAh) with built-in Charging Circuit
- User Programmable RCT (Resistance Correction Factor, 0.99 ~ 1.01) to Correct Accuracy within 1% Error
- PC Application Software Included
- Friendly File System for Easy On-site Data Retrieval and Nameplate Values Management

ISO 9001:2000 Certified Company 10 www.mecotest.com

## 1) Vehicle Battery System Meter 2) Digital Automotive Multimeter 3) Multifunction Automotive Meter 4) Battery Capacity (Impedance Tester) 5) Battery Meter

Technical Details

As per catalog.

ITC HS Codes

90303390

Certification/ Standard

CE

Issuing Agency

---

Date of Issue

01-01-2016

Date of Expiry

31-12-2020

End Use Sectors

Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.

## Product Images



## 1) Solar Module Analyzer 2) Solar System Analyzer 3) Solar Power Meter

Technical Details

As per catalog.

ITC HS Codes

1) Solar Module Analyzer and Solar System Analyzer 90303390 3) Solar Power Meter 90303390

Certification/ Standard

CE

Issuing Agency

---

Date of Issue

01-01-2016

Date of Expiry

31-12-2020

End Use Sectors

Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.



Product Images

**1) Infrared Thermometer 2) Laser Distance Meter 3) Thermal Imaging Camera 4) Digital Lux Meter 5) Humidity & Temperature Meter 6) Digital Sound Level Meter 7) Air Flow Anemometer**

Technical Details

As per catalog.

ITC HS Codes

1) Infrared Thermometer 90251990 2) Laser Distance Meter 90278090 3) Thermal Imaging Camera 90278090 4) Digital Lux Meter 90278090 5) Humidity & Temperature Meter 90251990 6) Digital Sound Level Meter 90278090 7) Air Flow Anemometer 90303390

Certification/ Standard

CE

Issuing Agency

---

Date of Issue


01-01-2016

Date of Expiry

31-12-2020

End Use Sectors

Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.



## Power & Harmonics Analyzer

Technical Details

As per catalog.

ITC HS Codes

90303390

Certification/ Standard

CE

Issuing Agency

---

Date of Issue

01-01-2016

Date of Expiry

31-12-2020

End Use Sectors

Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.



**MECO** **Power & Harmonics Analyzer**

**E-CATALOGUE**

- Analysis of 3P4W, 3P3W, 1P2W, 1P1W Systems
- Display of 35 Parameters in one screen (3P4W)
- Programmable CT Ratio (500 to 3000) Ratio
- Graphic Phase Diagram
- Real, Peak Value & Crest Factor
- True RMS value, Active Power, Apparent & Reactive Power (KVA, KVAR)
- Power Factor, Phase Angle (°)
- A Energy (WtH, KVAh, KVAh, kWh) with Programmable Period
- Display of 30 Harmonics in one screen with Waveform with Peak value (500 Samples/Period)
- Analysis of Total Harmonic Distortion (THD-F)
- Capture 20 Transient Events with Programmable Threshold (1s, 100ms, 10ms, 1ms, 100µs)
- Built-in timer & Calendar for Data Logging
- Facility to connect Power Data & Harmonics on Main Screen
- 32K Memory with Programmable Interval (1s to 3000seconds, 17000records for 3P4W System)
- Optical isolated RS-232C – USB Interface
- Software for easy download of Recorded Data & Transient events
- Calculated Unbalanced Current through Neutral line

**CE** **AC Clamp-On Power Harmonics & Leakage Tester**

- True RMS value (V and A)
- Leakage Current Measurement at 10A Resolution
- Harmonic Analysis (V and A) to the 99th Order
- Better Understanding of High Frequency Harmonic Analysis (up to 30 KHz)
- Non-Interrupted Harmonic Analysis
- Analysis of Total Harmonic Distortion (%THD-F)
- Analysis of Crest Factor (C.F.)
- Fast Peak Function (13µs for 60Hz & 37µs for 50Hz)
- Programmable CT Ratio (1 to 250)
- W, KW, HP, VA, KVA, VAR, KVAR
- PF, Phase Angle (°)
- Energy: kWh, Wh, KVAh
- Analysis of Standby Power Consumption
- Balanced 3 Phase Power Quality
- Balanced 3 Phase Sequence
- Max., Min. & Data Hold Function
- Active Power in HP

**CE** **3φ / 1φ Clamp-On TRMS Power Meter for AC / DC Power Measurement**

- 3φ 3W, 3φ 3W, 3φ Balanced, 1φ 2W, 1φ 1W
- AC + DC 2000 KVA (3φ), 1200 KVA (1φ)
- Dual display KW + PF
- KVA + KVAR, V + A, V + Hz, A + Hz
- Phase Angle Measurement (± 90°), Phase Sequence Indication (R,S,T)
- AC 600V, DC 600V, AC + DC 2000A
- Power Factor
- AC/DC Auto Detection
- TRMS Values
- Memory of 4 records
- Auto Range

**CE** **Clamp-On TRMS Power & Energy Meter with Automatic Computation of 1φ & 3φ (3P3W / 3P4W) Parameters**

**Features**

- TRMS Measurement
- KW, KVAR, KVA, HP & Energy Measurement
- PF & Phase Angle (°) Measurement
- 4 Digit LCD, 9999 Count, Auto-ranging
- Data Hold, Auto Power Off
- Cable of Diameter upto 43mm / Busbar upto 65mm x 16mm

**Applications**


- Check Motors and Compressors
- Check for Energized Circuits & Loads
- Ideal for Electrical Energy Audit of Heating, Ventilation & Aircon Systems (HVAC)
- To Identify Low Voltage Control Signal
- To Identify Power Sources
- 1φ / 3φ (1p/3p/4p) Power Calculations
- Evaluate Electrical Contacts
- Verify the Stability of Voltage

ISO 9001:2000 Certified Company 14 www.mecointel.com

## Calibrating Equipment

Technical Details	As per catalog.
ITC HS Codes	90303390
Certification/ Standard	CE
Issuing Agency	---
Date of Issue	01-01-2016
Date of Expiry	31-12-2020
End Use Sectors	Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.


**MECO** Calibrating Equipment  
**E-CATALOGUE**



FEATURES / PARAMETERS		90A	90DQ	90P
DISPLAY	5 1/2 Digit Display	✓	✓	✓
SYSTEM (1 PHASE)	DC	✓	✓	-
	AC	✓	✓	✓
VOLTAGE (V)	AC/DC V : (0 - 200mV to 1000V)	✓	-	-
	AC/DC V : (0 - 250mV to 1000V)	-	✓	-
	AC V : (0 - 1V to 1000V)	-	-	✓
CURRENT (A)	AC/DC A : (0 - 100mA to 20A)	✓	-	-
	AC/DC A : (0 - 100mA to 30A)	-	✓	-
	AC A : (0 - 10mA to 100A)	-	-	✓
FREQUENCY (Hz)	SYNCH	-	✓	-
	50 Hz	✓	✓	-
	60 Hz	✓	✓	-
	400 Hz	✓	✓	-
	1 kHz	-	✓	-
	40 Hz to 70 Hz	-	-	✓
RESISTANCE	10Ω to 24k x 16Ω	✓	✓	-
PHASE ANGLE	0 to 359.99°	-	-	✓
POWER (1 PHASE)	Range: 0 to 100kW	-	-	✓
POWER FACTOR	Range: -1 to +1	-	-	✓
COMMUNICATION PORT	RS232	✓	✓	✓
KEY ADJUSTOR		✓	✓	✓
WORKS CALIBRATION CERTIFICATE TRACEABLE TO NPL		✓	✓	✓
STANDARD CURRENT COIL (OPTIONAL)	Input 5A (Max.), Turn Ratio 100 / 1	-	✓	✓
	Input 10A (Max.), Turn Ratio 100 / 1	-	✓	✓
	Input 20A (Max.), Turn Ratio 50 / 1	✓	-	-

**Applications:**

- R & D Labs
- NABL Labs
- Educational Institutes
- Paper & Pulp Industries
- Automobile Industries
- Textile Industries
- Calibration Labs
- Chemical Process Industries
- Cement Plants
- Instrument Manufacturing Companies
- Medical Industries
- Petrochemical Industries



ISO 9001:2000 Certified Company      15      www.mecoinst.com

## Current Transformers

Technical Details	As per catalog.
ITC HS Codes	85049090
Certification/ Standard	CE
Issuing Agency	---
Date of Issue	01-01-2016
Date of Expiry	31-12-2020
End Use Sectors	Automation, Automobile, Petrochemical, Chemical, Oil/Gas/Petroleum, SCADA, R&D Organizations, Power Utilities and so on.



**MECO** **Current Transformers (CT's)**

**PCB MOUNTABLE HIGH PRECISION CT's (CC & CB Series)**

**Features**

- Low Cost
- Low Profile for PCB Mounting
- High Accuracy
- Wide Linear Range
- Low Phase Shift Error
- Flame Resistant
- Nano Crystalline / Permalloy Core

**Application**

- Electronic Energy Meter
- Power Transducer
- Precision Power Meter
- Power and Energy Monitoring Devices
- Over Current Protection Circuit of Motor and Other Electrical Appliances

**Parameters**

Series	Model	OCR Max. (Ohm)	Rated Primary (A)	Rated Secondary (mA)	Number of Turns (T)	Rated Secondary Burden	Accuracy (%)	Phase Shift Angle Max.	Linear Range
CC Series	WCT102CC	60	5	5	1000	10	0.1	≤25°/0.5°	4
	WCT102CC	200	5	2.5	2000	50	0.1	≤25°/0.5°	5
	WCT212CC	120	5	2	2500	50	0.1	≤25°/0.5°	5
CB Series	WCT202CB	90	5	2.5	2000	50	0.1	≤15°/0.25°	10
	WCT212CB	120	5	2	2500	100	0.1	≤10°/0.16°	10

**Split Core CT's (AAC to VAC) / (AAC to AAC)**

**Flexible Current Transformers (FCT Series)**

**Clamp-On Current Transformer (CCT Series)**

ISO 9001:2008 Certified Company 16 www.mecointel.com

## Product Images

Sectors of Interest

Is OEM Supplier?

Is After Sales Service Provider?

Importance of niche products

Potential market of niche products

Product Supply Record

Patented Technologies

Power, Renewable Energy, Solar and Automotive Sectors

Yes

Yes

1) Panel and Switchboard Instruments like Multifunction Meters ,Power Line Transducers ,Digital Panel Meters and Modules, Analog Panel & Switchboard Meters ,Educational Desk Stand Meters and so on 2) Testing and Measuring Instruments like Digital Multimeters , Clammeters, LCR Meters, Insulation Testers are highly in demand in various industrial sectors like Automobile, Automation, Educational Institutions, Chemical, Petrochemical, R&D Organizations, Oil/Gas/Petroleum and many more. These products are user friendly and reliable.

Electrical / Electronic Measuring & Testing Instruments,Power,Renewable Energy and Automotive Sectors

National Projects - DMRC - Delhi Metro,Power Grid Corporation of India Limited , Indian Railways & Educational Institutes.

## BRAND INDIA ENGINEERING E-CATALOGUE

### Awards/Accolades

1) MECO has been awarded certificate of appreciation for highest export of Instruments by Engineering Export Promotion Council and Government of Maharashtra. 2) MECO has been awarded EFY award for the Year 2004, 2005 & 2006 in the category of Multimeters. EFY Awards aim to recognize the best of the best brands in fields of Technology, that are available to the consumers in India. 3) Electrical Measurement Entrepreneurship Award 1992 By Wisitex Foundation- Wisitex 1992. 4) Monodzukuri Jinzai Ambassador Award in January 2017 by Honorable Mr.Hiroshige Seko San Japanese Minister of Economy, Trade and Industry. This is the outcome for dedication for more than 40 years for the cause of Indo – Japanese Industry.