

**BRAND INDIA ENGINEERING
E-CATALOGUE**

Date: 18-01-2025

Valvetech Engineering (India)

**57,Ajit Industrial Estate,Nr.Ajit Mill Cross
Road,Rakhial,Ahmedabad,Gujarat
AHMEDABAD
PIN - 380023**

**Mr.Naimish Shastri
PHONE - +91
9106609891
EMAIL -
sales@valvetechindia.com
WEB -
www.valvetechindia.com**

Valvetech Engineering (India) is A Venture established by highly experienced technocrat in the field of Industrial Valves, under the mentoring of top notch/veterans of the world reckoned Valve industries. "Quality and on time delivery" are the main focus of the company to develop sustainable long term association with our valued clients around the globe. Main products of company are Gate Valve, Globe Valve, Swing Check Valve, Duel plate check valves, Ball valves, flush bottom tank valves and forged vales. We also arrange other valves for our clients from our associates/group companies following strict quality norms. Considering the major potential for our products are Petrochemical industry, Fertilizer Industry, Power plants and Refineries, we strictly follow international standards in manufacturing and testing procedures and strive for utmost satisfaction of our clients by supplying trust-worthy products.

Products Description

Industrial Valves

Technical Details

API 600/API 6D Gate Valve

BRAND INDIA ENGINEERING E-CATALOGUE

ITC HS Code 848180
 Certification Category System Standard
 Certification/ Standard ISO
 Issuing Agency
 Date of Issue
 Date of Expiry
 Certificate Image



End Use Sectors

Petrochemical, Pharma Industries, Refineries, Cement Industries etc.

BRAND INDIA ENGINEERING E-CATALOGUE

Product Images



EXHAUSTION PORT VALVE

GATE VALVES

Size Range: 1/2" to 144" (DN 15 to 3600)
Pressure Range: 150 to 2500 PSI (10 to 170 Bar)
Flow: 1000 to 100,000 GPM (38 to 3800 m³/hr)
Material: Cast Iron, Cast Steel, Stainless Steel, Alloy Steel, Inconel, Titanium

TECHNICAL SPECIFICATIONS

Body Material: Cast Iron, Cast Steel, Stainless Steel, Alloy Steel, Inconel, Titanium
Gate Material: Cast Iron, Cast Steel, Stainless Steel, Alloy Steel, Inconel, Titanium
Seal Material: Cast Iron, Cast Steel, Stainless Steel, Alloy Steel, Inconel, Titanium
End Connections: Flange, Butt Weld, Threaded, Socket Weld, Bell & Spigot, Grooved, etc.

Pressure Class	150	300	600	900	1500	2500	3000	3600	4800	6000	9000	15000	25000
Face	184	225	328	375	527	702	728	825	971	1402	1921	2742	4211
Flange	184	225	328	375	527	702	728	825	971	1402	1921	2742	4211
Body	184	225	328	375	527	702	728	825	971	1402	1921	2742	4211
Gate	184	225	328	375	527	702	728	825	971	1402	1921	2742	4211
Stem	184	225	328	375	527	702	728	825	971	1402	1921	2742	4211
Handwheel	184	225	328	375	527	702	728	825	971	1402	1921	2742	4211
Weight	184	225	328	375	527	702	728	825	971	1402	1921	2742	4211
Lead Time	184	225	328	375	527	702	728	825	971	1402	1921	2742	4211
Price	184	225	328	375	527	702	728	825	971	1402	1921	2742	4211

Website and Headquarters: www.ibef.org
www.epecindia.com

BRAND INDIA ENGINEERING E-CATALOGUE



Globe Valve

Technical Details	BS 1873
ITC HS Code	848180
Certification Category	System Standard
Certification/ Standard	ISO
Issuing Agency	Care Certification Private Limited
Date of Issue	28-09-2019
Date of Expiry	27-09-2022

**BRAND INDIA ENGINEERING
E-CATALOGUE**



Registration Certificate

This is to certify that
The Quality Management Systems
of

VALVETECH ENGINEERING (INDIA)

Carried out at following site:

57 - AJIT INDUSTRIAL ESTATE, AJIT MILL COMPOUND,
NEAR AJIT MILL CROSS ROAD, RAKHIYAL, AHMEDABAD - 380 023
(GUJARAT) (INDIA)

for their

**QUALITY MANAGEMENT SYSTEM
ISO 9001:2015**

Scope of Activities covered by this Registration:

**DESIGN, MANUFACTURE, SUPPLY & SERVICING OF
INDUSTRIAL VALVES AND STRAINERS**

CERTIFICATE NO. : IAS/086/D2028 1st SURVEILLANCE DUE ON: 28/08/2020
ISSUED ON : 26/09/2019 2nd SURVEILLANCE DUE ON: 28/08/2021
VALIDITY DATE : 27/09/2022

THE VALIDITY OF CERTIFICATE IS SUBJECT TO REGULAR SURVEILLANCE AUDIT ON OR BEFORE ABOVE MENTIONED DATE(S) AND IT'S ONLY VALID AFTER SUCCESSFUL SURVEILLANCE WITH CONTINUATION LETTER ISSUED BY CCPL.

TO VERIFY THIS CERTIFICATE STATUS PLEASE VISIT AT <http://ccpl.carecertification.com>

[Signature]
AUTHORISED BY
CHAIRMAN / DIRECTOR

CARE CERTIFICATION PRIVATE LIMITED
This is Single Site Certification
www.carecertification.com



U.K. OFFICE : KEMP HOUSE, 180 CITY ROAD, LONDON, EC1Y 2NX, UNITED KINGDOM
INDIA OFFICE : 134-A, 2ND FLOOR, TAJNOKOR NAGAR, N.F.C., NEW DELHI - 110 065
THE CERTIFICATE IS VALID AS LONG AS THE HOLDER OF CCPL IS IN COMPLIANCE WITH ISO 9001:2015
CCPL is accredited by International Accreditation Service (IAS) United States of America

ISO 9001 : 2015

Certificate Image

End Use Sectors
Product Images



tries etc.

BRAND INDIA ENGINEERING E-CATALOGUE



ELECTROTECHNOLOGICALS												
GLOBE VALVES												
Design Features:	2" to 24" (DN 50 to 600)											
Pressure Rating:	1500 / 2000 / 3000 / 4000 / 5000 / 6000 / 8000											
Design Standard:	BS 1873 / ASME B16.34											
Material:	WCB / CS / SS / L245 / C235 / C258 / C274											
Trim Material:	Stainless Steel / Inconel 625											
End Connection:	Flange / Butt Weld / End Flange / End Flange & Full Size / End Flange / End Flange & Full Size / End Flange / End Flange & Full Size											
Operation:	Hand Wheel / Gear / Electric / Pneumatic / Hydraulic											
Special Features:	Full Size / Partial Size / Full Size / Partial Size / Full Size / Partial Size / Full Size / Partial Size / Full Size / Partial Size / Full Size / Partial Size											
DIMENSIONS & TECHNICAL DETAILS												
Pressure Rating	1500	2000	3000	4000	5000	6000	8000	10000	15000	20000	30000	40000
DN	50	65	80	100	125	150	200	250	300	350	400	450
Weight (kg)	1.2	1.8	2.5	3.5	5.0	7.5	12.0	18.0	25.0	35.0	50.0	70.0
Height (mm)	150	200	250	300	350	400	450	500	550	600	650	700
Weight (kg)	1.2	1.8	2.5	3.5	5.0	7.5	12.0	18.0	25.0	35.0	50.0	70.0
Height (mm)	150	200	250	300	350	400	450	500	550	600	650	700
Weight (kg)	1.2	1.8	2.5	3.5	5.0	7.5	12.0	18.0	25.0	35.0	50.0	70.0
Height (mm)	150	200	250	300	350	400	450	500	550	600	650	700

Swing Check Valve

Technical Details	BS 1868
ITC HS Code	848180
Certification Category	System Standard
Certification/ Standard	ISO
Issuing Agency	Care Certification Private Limited
Date of Issue	28-09-2019
Date of Expiry	27-09-2022

**BRAND INDIA ENGINEERING
E-CATALOGUE**



Registration Certificate

This is to certify that
The Quality Management Systems
of

VALVETECH ENGINEERING (INDIA)

Carried out at following site:

57 - AJIT INDUSTRIAL ESTATE, AJIT MILL COMPOUND,
NEAR AJIT MILL CROSS ROAD, RAKHIYAL, AHMEDABAD - 380 023
(GUJARAT) (INDIA)

for their

**QUALITY MANAGEMENT SYSTEM
ISO 9001:2015**

Scope of Activities covered by this Registration:

**DESIGN, MANUFACTURE, SUPPLY & SERVICING OF
INDUSTRIAL VALVES AND STRAINERS**

CERTIFICATE NO. : IAS/0815/D2028
ISSUED ON : 26/09/2015
VALIDITY DATE : 27/09/2022
1st SURVEILLANCE DUE ON: 28/08/2020
2nd SURVEILLANCE DUE ON: 28/08/2021

THE VALIDITY OF CERTIFICATE IS SUBJECT TO REGULAR SURVEILLANCE AUDIT ON OR BEFORE ABOVE MENTIONED DATE(S) AND IT'S ONLY VALID AFTER SUCCESSFUL SURVEILLANCE WITH CONTINUATION LETTER ISSUED BY CCPL.

TO VERIFY THIS CERTIFICATE STATUS PLEASE VISIT AT <http://ccpl.carecertification.com>

[Signature]
AUTHORISED BY
CHAIRMAN / DIRECTOR

CARE CERTIFICATION PRIVATE LIMITED
This is Single Site Certification
www.carecertification.com



U.K. OFFICE : KEMP HOUSE, 180 CITY ROAD, LONDON, EC1Y 2NX, UNITED KINGDOM
INDIA OFFICE : 134-A, 2ND FLOOR, TAJNOKOR NAGAR, N.F.C., NEW DELHI - 110 065
THE CERTIFICATE IS VALID AS LONG AS THE HOLDER OF THE CERTIFICATE IS IN COMPLIANCE WITH THE REQUIREMENTS OF THE ISO 9001:2015 STANDARD.
CCPL is accredited by International Accreditation Service (IAS) United States of America

ISO 9001 : 2015


Certificate Image

End Use Sectors
Product Images



nt Plants Etc

BRAND INDIA ENGINEERING E-CATALOGUE



SWING CHECK VALVES

Design Features:
 Size Range: 2" to 24" (DN 50 to DN 600)
 Pressure Rating: 1500 / 2000 / 3000 / 4000 / 5000 / 6000 / 8000 / 10000
 Design Standard: BS 5163 / API 6D / BS 5412 / API 6B
 Material: WCB / CS / SS / 316 / 316L / 304 / 304L / 321 / CF8M etc.
 Drive Method: 1/2 turn operation
 End Connection: Flanged Ends / Bolt Neck Ends / F&T
 Dimensions: Not applicable for 18" (API 6D) / 24" (API 6B)
 Special Features: No gas arrangement / Floor Stand

DIMENSIONS & TECHNICAL DETAILS

Dimension	Class	2"	3"	4"	6"	8"	10"	12"	16"	20"	24"
Face to Face	1500	245	295	335	415	495	575	655	815	975	1135
	2000	267	318	358	438	518	598	678	838	998	1158
	3000	295	345	385	465	545	625	705	865	1025	1185
	4000	348	398	438	518	598	678	758	918	1078	1238
Height	1500	368	420	460	540	620	700	780	940	1100	1260
	2000	390	442	482	562	642	722	802	962	1122	1282
	3000	412	464	504	584	664	744	824	984	1144	1304
	4000	434	486	526	606	686	766	846	1006	1166	1326
Weight	1500	180	225	240	275	330	375	450	600	840	1080
	2000	195	240	255	290	345	390	465	615	855	1095
	3000	210	255	270	305	360	405	480	630	870	1110
	4000	225	270	285	320	375	420	500	650	890	1130
Flange Weight	1500	18	18	18	18	18	18	18	18	18	18
	2000	18	18	18	18	18	18	18	18	18	18
	3000	18	18	18	18	18	18	18	18	18	18
	4000	18	18	18	18	18	18	18	18	18	18

Weight and dimensions are for reference only.

API 6D 2003/2010 Compliance
www.valvetechindia.com

Ball Valve

Technical Details	BS 17292/API 6D
ITC HS Code	848180
Certification Category	System Standard
Certification/ Standard	ISO

BRAND INDIA ENGINEERING E-CATALOGUE

Issuing Agency
Date of Issue
Date of Expiry
Certificate Image



End Use Sectors
Product Images

Power, Refinery, Cement, Pharma Etc
Image not found or type unknown



BRAND INDIA ENGINEERING E-CATALOGUE



Sectors of Interest

Supply Of Industrial Valves To Refineries,Power Industries,Cement Industries,Pharma Industries Etc.

Is OEM Supplier?

Indigenous

Is After Sales Service Provider?

Yes

Importance of niche products

Potential market of niche products

Product Supply Record

Patented Technologies

Awards/Accolades